

CONTEMPORARY APPROACHES IN ORAL AND MAXILLOFACIAL IMAGING AND DIAGNOSIS

Editor

Hülya ÇAKIR KARABAŞ



© Copyright 2026

Printing, broadcasting and sales rights of this book are reserved to Academician Bookstore House Inc. All or parts of this book may not be reproduced, printed or distributed by any means mechanical, electronic, photocopying, magnetic paper and/or other methods without prior written permission of the publisher. Tables, figures and graphics cannot be used for commercial purposes without permission. This book is sold with banderol of Republic of Türkiye Ministry of Culture.

ISBN

978-625-362-151-3

Page and Cover Design

Akademisyen Dizgi Ünitesi

Book Title

Contemporary Approaches in Oral and
Maxillofacial Imaging and Diagnosis

Publisher Certificate Number

47518

Editor

Hülya ÇAKIR KARABAŞ
ORCID iD: 0000-0001-9258-053X

Printing and Binding

Vadi Matbaacılık

Bisac Code

MED019000

Publishing Coordinator

Yasin DİLMEN

DOI

10.37609/akya.4040

Library ID Card

Contemporary Approaches in Oral and Maxillofacial Imaging and Diagnosis / ed. Hülya Çakır Karabaş.

Ankara : Akademisyen Yayınevi Kitabevi, 2026.

181 p. : figure, table. ; 160x235 mm.

Includes References.

ISBN 9786253621513

WARNING

The information contained in this product is only presented as a source for licensed medical workers. It should not be used for any professional medical advice or medical diagnosis. It does not constitute a doctor-patient, therapist-patient and / or any other health-presentation service relationship between the Bookstore and the recipient in any way.

This product is not a synonym or a substitute for professional medical decisions. The Academician Bookstore and its affiliated companies, writers, participants, partners and sponsors are not responsible for injuries and / or damage to humans and devices arising from all applications based on product information.

In the case of prescription of drugs or other chemicals, checking over the current product information for each drug defined by the manufacturer to determine the recommended dose, duration, method and contraindications of the drug is recommended.

It is the physician's own responsibility to determine the optimal treatment an dose for the patient, and to establish a basis for the knowledge and experience of the treating physician about the patient.

The Academician Bookstore is not responsible for any changes to the product, repackaging and customizations made by a third party.

GENERAL DISTRIBUTION

Akademisyen Yayınevi AŞ

Halk Sokak 5 / A

Yenişehir / Ankara

Tel: 0312 431 16 33

siparis@akademisyen.com

www.akademisyen.com

PREFACE

Based in Ankara in Turkey, the independent academic publisher, Akademisyen Publishing House, has been publishing books for almost 38 years. As the directors of Akademisyen Publishing House, we are proud to publish over 4000 books across disciplines so far, especially in Health Sciences. We also publish books in Social Sciences, Educational Sciences, Physical Sciences, and also books on cultural and artistic topics.

Akademisyen Publishing House has recently commenced the process of publishing books in the international arena with the “Scientific Research Book” series in Turkish and English. The publication process of the books, which is expected to take place in March and October every year, will continue with thematic subtitles across disciplines

The books, which are considered as permanent documents of scientific and intellectual studies, are the witnesses of hundreds of years as an information recording platform. As Akademisyen Publishing House, we are strongly committed to working with a professional team. We understand the expectations of the authors, and we tailor our publishing services to meet their needs. We promise each author for the widest distribution of the books that we publish.

We thank all of the authors with whom we collaborated to publish their books across disciplines.

Akademisyen Publishing House Inc

CONTENTS

Chapter 1	MEDICATION-RELATED OSTEONECROSIS OF THE JAW (MRONJ): CURRENT CLASSIFICATION AND RADIOLOGICAL FINDINGS.....	1
	<i>İlknur ENİNANÇ</i> <i>Hürü GÖZÜKARA</i>	
Chapter 2	ADVANCED VISUALIZATION IN CONE-BEAM COMPUTED TOMOGRAPHY (CBCT): FROM VOLUME RENDERING (VR) TO CINEMATIC RENDERING (CR)	21
	<i>Buğra DOĞAN</i>	
Chapter 3	FIBRO-OSSEOUS LESIONS OF THE JAWS: RADIOLOGIC FEATURES AND DIFFERENTIAL DIAGNOSIS	37
	<i>Didem ÖZER</i> <i>Sedef Ayşe TAŞYAPAN</i>	
Chapter 4	CURRENT RADIOLOGICAL DEVELOPMENTS IN UNDERGRADUATE DENTAL EDUCATION.....	53
	<i>Ömer KOCA</i> <i>Samed ŞATIR</i>	
Chapter 5	EXPLAINABLE ARTIFICIAL INTELLIGENCE IN ORAL AND MAXILLOFACIAL RADIOLOGY: FROM BLACK-BOX ALGORITHMS TO CLINICALLY TRUSTWORTHY IMAGING	65
	<i>Büşra ÖZTÜRK</i>	
Chapter 6	DYSGEUSIA.....	83
	<i>Mehmet Mete MİCAN</i> <i>Fatma ASLAN</i>	
Chapter 7	RADIOMICS IN ORAL AND MAXILLOFACIAL RADIOLOGY: CURRENT USES AND FUTURE PERSPECTIVES FOR QUANTITATIVE DENTAL IMAGING	97
	<i>Mediha ERTÜRK</i>	

Contents

Chapter 8	ARTIFICIAL INTELLIGENCE-DRIVEN ANALYSIS OF INTRAORAL PHOTOGRAPHS IN ORAL AND MAXILLOFACIAL DIAGNOSIS	111
	<i>Batuhan ERDOĞAN</i> <i>Sümeyye ÇELİK ÖZSOY</i>	
Chapter 9	RADIOGRAPHIC EVALUATION OF PERIAPICAL LESIONS: FROM CONVENTIONAL IMAGING TO ARTIFICIAL INTELLIGENCE.....	129
	<i>Fatmanur KETENCİ ÇAY</i>	
Chapter 10	PARANASAL SINUS APLASIA: DEVELOPMENTAL ANATOMY, RADIOLOGIC FEATURES, AND ASSOCIATED CONDITIONS	145
	<i>Umut ZENGİN</i> <i>Sedef Ayşe TAŞYAPAN</i>	
Chapter 11	ARTIFICIAL INTELLIGENCE IN RADIOLOGY REPORTING: THE ROLE OF NATURAL LANGUAGE PROCESSING AND LARGE LANGUAGE MODELS.....	161
	<i>Umut Ata OVA</i> <i>Murat Mert ATAPEK</i>	

AUTHORS

Research Assistant Fatma ASLAN

Recep Tayyip Erdoğan University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Dr. Murat Mert ATAPEK

Yeditepe University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Asst. Prof. Sümeyye ÇELİK ÖZSOY

Karamanoğlu Mehmetbey University, Ahmet Keleşoğlu Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Research Assistant Buğra DOĞAN

Istanbul University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Assoc. Prof. İlknur ENİNANÇ

Sivas Cumhuriyet University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Research Assistant Batuhan ERDOĞAN

Karamanoğlu Mehmetbey University, Ahmet Keleşoğlu Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Research Assistant Mediha ERTÜRK

Necmettin Erbakan University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Research Assistant Hürü GÖZÜKARA

Sivas Cumhuriyet University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Asst. Prof. Fatmanur KETENCİ ÇAY

Yeditepe University, Faculty of Dentistry, Department of Oral and Maxillofacial Surgery

Research Assistant Ömer KOCA

Karamanoğlu Mehmetbey University, Ahmet Keleşoğlu Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Research Assistant Mehmet Mete MİCAN

Recep Tayyip Erdoğan University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

PhD Student Umut Ata OVA

Istanbul University, Institute of Graduate Studies in Health Sciences, Department of Oral and Maxillofacial Radiology

Research Assistant Didem ÖZER

Istanbul University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Asst. Prof. Büşra ÖZTÜRK

Erciyes University Faculty of Dentistry, Department of Oral and Maxillofacial Radiology

Authors

Assoc. Prof. Samed ŞATIR

Karamanoğlu Mehmetbey University,
Ahmet Keleşoğlu Faculty of Dentistry,
Department of Oral and Maxillofacial
Radiology

PhD Student Umut ZENGİN

Istanbul University, Institute of Graduate
Studies in Health Sciences, Department of
Oral and Maxillofacial Radiology

DDS, PhD Sedef Ayşe TAŞYAPAN

Istanbul University, Faculty of Dentistry,
Department of Oral and Maxillofacial
Radiology

CHAPTER 1

MEDICATION-RELATED OSTEONECROSIS OF THE JAW (MRONJ): CURRENT CLASSIFICATION AND RADIOLOGICAL FINDINGS

İlknur ENİNANÇ¹
Hürü GÖZÜKARA²

1. INTRODUCTION

Osteonecrosis is a condition that develops due to the loss of vitality in bone tissue, resulting from short – or long-term disruption of blood circulation in the bone caused by various local or systemic factors (1). In general, causes of this condition developing in the jawbones may include medication-related osteonecrosis of the jaw (MRONJ), osteoradionecrosis (ORN), spontaneous osteonecrosis, and traumatic or non-traumatic osteonecrosis (2).

MRONJ is observed more frequently, particularly in elderly female patients, and predominantly affects the mandible (3).

While the disease is primarily associated with the use of antiresorptive (AR) and antiangiogenic (AA) medications, its pathophysiology has not yet been fully elucidated (4, 5). AR agents that inhibit bone resorption are widely utilized in the treatment of various diseases, such as osteoporosis, Paget's disease, malignancy-associated hypercalcemia, bone metastases, and osteogenesis imperfecta (6). The combination of AR and AA agents is frequently preferred in treatment protocols, particularly for patients with osteolytic bone disease and bone metastasis associated with solid tumors. By playing a crucial role in the prevention and management of skeletal-related events (e.g., pathologic fractures, bone pain, and spinal cord compression) arising from osteoporosis and bone metastases, these agents

¹ Assoc. Prof., Sivas Cumhuriyet University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology Dentistry, i.eninanc2@gmail.com, ORCID iD: 0000 0002 4583 6237

² Research Assistant, Sivas Cumhuriyet University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, hrgzkr@gmail.com, ORCID iD: 0009 0007 1784 3257

REFERENCES

1. Lafforgue P. Pathophysiology and natural history of avascular necrosis of bone. *Joint Bone Spine*. 2006;73(5): 500-507. doi:10.1016/j.jbspin.2006.01.025
2. Lončar Brzak B, Horvat Aleksijević L, Vindiš E, et al. Osteonecrosis of the Jaw. *Dentistry Journal*. 2023;11(1): 23. doi:10.3390/dj11010023
3. Kang MH, Lee D-K, Kim CW, et al. Clinical characteristics and recurrence-related factors of medication-related osteonecrosis of the jaw. *Journal of the Korean Association of Oral and Maxillofacial Surgeons*. 2018;44(5): 225-231. doi:10.5125/jkaoms.2018.44.5.225
4. Di Fede O, Panzarella V, Mauceri R, et al. The dental management of patients at risk of medication-related osteonecrosis of the jaw: new paradigm of primary prevention. *BioMed Research International*. 2018;2018(1): 2684924. doi:10.1155/2018/2684924
5. Lorenzo-Pouso AI, Bagán J, Bagán L, et al. Medication-related osteonecrosis of the jaw: a critical narrative review. *Journal of Clinical Medicine*. 2021;10(19): 4367. doi:10.3390/jcm10194367
6. Beth-Tasdogan NH, Mayer B, Hussein H, et al. Interventions for managing medication-related osteonecrosis of the jaw. *Cochrane Database of Systematic Reviews*. 2022(7). doi:10.1002/14651858.CD012432.pub3
7. Mehrotra B. Antiresorptive therapies for the treatment of malignant osteolytic bone disease. *Oral and Maxillofacial Surgery Clinics*. 2015;27(4):561-566. doi:10.1016/j.coms.2015.07.002
8. Mosaico G, Casu C. Management and maintenance of oral health: Personalized primary prevention strategies and protocols in patients at risk of developing medication-related osteonecrosis of the jaw. *INNOSC Theranostics and Pharmacological Sciences*. 2024;7(1):1419. doi:10.36922/itps.1419
9. King R, Tanna N, Patel V. Medication-related osteonecrosis of the jaw unrelated to bisphosphonates and denosumab—a review. *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*. 2019;127(4):289-99. doi:10.1016/j.oooo.2018.11.012
10. Ruggiero SL, Dodson TB, Fantasia J, et al. American Association of Oral and Maxillofacial Surgeons position paper on medication-related osteonecrosis of the jaw—2014 update. *Journal of Oral and Maxillofacial Surgery*. 2014;72(10): 1938-1956. doi:10.1016/j.joms.2014.04.031
11. Jaw JACoOot, Yoneda T, Hagino H, et al. Antiresorptive agent-related osteonecrosis of the jaw: Position Paper 2017 of the Japanese Allied Committee on Osteonecrosis of the Jaw. *Journal of Bone and Mineral Metabolism*. 2017;35(1): 6-19. doi:10.1007/s00774-016-0810-7
12. Ruggiero SL, Dodson TB, Aghaloo T, et al. American Association of Oral and Maxillofacial Surgeons' position paper on medication-related osteonecrosis of the jaws—2022 update. *Journal of Oral and Maxillofacial Surgery*. 2022;80(5): 920-943. doi:10.1016/j.joms.2022.02.008
13. Russell RGG. Bisphosphonates: the first 40 years. *Bone*. 2011;49(1):2-19. doi:10.1016/j.bone.2011.04.022
14. Kün-Darbois J-D, Fauvel F. Medication-related osteonecrosis and osteoradionecrosis of the jaws: Update and current management. *Morphologie*. 2021;105(349):170-87. doi:10.1016/j.morpho.2020.11.008
15. Shibahara T. Antiresorptive agent-related osteonecrosis of the jaw (ARONJ): a twist of fate in the bone. *The Tohoku Journal of Experimental Medicine*. 2019;247(2):75-86. doi:10.1620/tjem.247.75
16. Aljohani S, Fliefel R, Ihbe J, Kühnisch J, Ehrenfeld M, Otto S. What is the effect of anti-resorptive drugs (ARDs) on the development of medication-related osteonecrosis of the jaw (MRONJ) in osteoporosis patients: A systematic review. *Journal of Cranio-Maxillofacial Surgery*. 2017;45(9):1493-502. doi:10.1016/j.jcms.2017.05.028
17. Ribeiro GH, Chrun ES, Dutra KL, et al. Osteonecrosis of the jaws: a review and update in etiology and treatment. *Brazilian Journal of Otorhinolaryngology*. 2018;84(1):102-8. doi: 10.1016/j.bjorl.2017.05.008
18. Kuroshima S, Al-Salihi Z, Yamashita J. Mouse anti-RANKL antibody delays oral wound healing and increases TRAP-positive mononuclear cells in bone marrow. *Clinical Oral Investigations*. 2016;20(4):727-736. doi:10.1007/s00784-015-1550-0

19. Anastasilakis AD, Pepe J, Napoli N, et al. Osteonecrosis of the jaw and antiresorptive agents in benign and malignant diseases: a critical review organized by the ECTS. *The Journal of Clinical Endocrinology & Metabolism*. 2022;107(5):1441–1460. doi:10.1210/clinem/dgab888
20. Khan AA, Morrison A, Kendler DL, et al. Case-based review of osteonecrosis of the jaw (ONJ) and application of the international recommendations for management from the international task force on ONJ. *Journal of Clinical Densitometry*. 2017;20(1):8–24. doi:10.1016/j.jocd.2016.09.005
21. Lombard T, Neirinckx V, Rogister B, et al. Medication-related osteonecrosis of the jaw: new insights into molecular mechanisms and cellular therapeutic approaches. *Stem Cells International*. 2016;2016(1):8768162. doi:10.1155/2016/8768162
22. Baghalipour N, Moztarzadeh O, Samar W, et al.. Comprehensive review of prevention and management strategies for Medication-related osteonecrosis of the jaw (MRONJ). *Oral Health & Preventive Dentistry*. 2025;23:403. doi:10.3290/j.ohpd.c_2169
23. Sakkas A, Heil S, Kargus S, et al. Tocilizumab: Another medication related to osteonecrosis of the jaws? A case report and literature review. *GMS Interdisciplinary Plastic and Reconstructive Surgery DGPW*. 2021;10:Doc03. doi:10.3205/iprs000153
24. Bindakhil MA, Mupparapu M. Osteomyelitis of the mandible exhibiting features of medication-related osteonecrosis in a patient with history of tocilizumab treatment. *Journal of Orofacial Sciences*. 2018;10(1):53–5. doi:10.4103/jofs.jofs_46_18
25. Xie J, Wang X, Proud CG. mTOR inhibitors in cancer therapy. *F1000Research*. 2016;5:F1000 Faculty Rev–2078. doi:10.12688/f1000research.9207.1
26. Kim DW, Jung Y-S, Park H-S, et al. Osteonecrosis of the jaw related to everolimus: a case report. *British Journal of Oral and Maxillofacial Surgery*. 2013;51(8):e302–e304. doi:10.1016/j.bjoms.2013.09.008
27. Baur DA, Altay MA, Teich S, et al. Osteonecrosis of the jaw in a patient on raloxifene: a case report. *Quintessence International*. 2015;46(5). doi: 10.3290/j.qi.a32918
28. Hauer L, Moztarzadeh O, Baghalipour N, et al. Secukinumab causing medication-related osteonecrosis of the jaw, in a patient diagnosed with psoriasis and rheumatoid arthritis. *Psoriasis: Targets and Therapy*. 2024;115–120. doi:10.2147/PTT.S490982
29. Samieirad S, Labafchi A, Famili K, et al. Medication-Related Osteonecrosis of the Jaw (MRONJ) due to simvastatin: an unusual case report. *World Journal of Plastic Surgery*. 2021;10(1):132. doi:10.29252/wjps.10.1.132
30. Campisi G, Mauceri R, Bertoldo F, et al. Medication-related osteonecrosis of jaws (MRONJ) prevention and diagnosis: Italian consensus update 2020. *International Journal of Environmental Research and Public Health*. 2020;17(16): 5998. doi:10.3390/ijerph17165998
31. Khan AA, Morrison A, Hanley DA, et al. Diagnosis and management of osteonecrosis of the jaw: a systematic review and international consensus. *Journal of Bone and Mineral Research*. 2015;30(1):3–23. doi:10.1002/jbmr.2405
32. McGowan K, McGowan T, Ivanovski S. Risk factors for medication-related osteonecrosis of the jaws: A systematic review. *Oral Diseases*. 2018;24(4):527–536. doi:10.1111/ODI.12708
33. Kawahara M, Kuroshima S, Sawase T. Clinical considerations for medication-related osteonecrosis of the jaw: a comprehensive literature review. *International Journal of Implant Dentistry*. 2021;7(1):47. doi:10.1186/s40729-021-00323-0
34. Guarneri V, Miles D, Robert N, et al. Bevacizumab and osteonecrosis of the jaw: incidence and association with bisphosphonate therapy in three large prospective trials in advanced breast cancer. *Breast Cancer Research and Treatment*. 2010;122(1):181–188. doi:10.1007/s10549-010-0866-3
35. AlRowis R, Aldawood A, AlOtaibi M, et al. Medication-related osteonecrosis of the jaw (MRONJ): a review of pathophysiology, risk factors, preventive measures and treatment strategies. *The Saudi dental journal*. 2022;34(3):202–210. doi:10.1016/j.sdentj.2022.01.003
36. Otto S, Aljohani S, Fliefel R, et al. Infection as an important factor in medication-related osteonecrosis of the jaw (MRONJ). *Medicina*. 2021;57(5):463. doi:10.3390/medicina57050463

37. Loyson T, Van Cann T, Schöffski P, et al. Incidence of osteonecrosis of the jaw in patients with bone metastases treated sequentially with bisphosphonates and denosumab. *Acta Clinica Belgica*. 2018;73(2):100–109. doi:10.1080/17843286.2017.1348001
38. Limones A, Sáez-Alcaide LM, Díaz-Parreño SA, et al. Medication-related osteonecrosis of the jaws (MRONJ) in cancer patients treated with denosumab VS. zoledronic acid: A systematic review and meta-analysis. *Medicina Oral, Patología Oral y Cirugía Bucal*. 2020;25(3):e326. doi:10.4317/medoral.23324
39. Cummings SR, Martin JS, McClung MR, et al. Denosumab for prevention of fractures in postmenopausal women with osteoporosis. *New England Journal of Medicine*. 2009;361(8):756–65. doi:10.1056/NEJMoa0809493
40. Favia G, Tempesta A, Limongelli L, et al. Medication-related osteonecrosis of the jaw: Surgical or non-surgical treatment? *Oral Diseases*. 2018;24(1-2):238–242. doi:10.1111/ODI.12764
41. Nicolatou-Galitis O, Schiødt M, Mendes RA, et al. Medication-related osteonecrosis of the jaw: definition and best practice for prevention, diagnosis, and treatment. *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*. 2019;127(2):117–135. doi:10.1016/j.oooo.2018.09.008
42. Saad F, Brown J, Van Poznak C, et al. Incidence, risk factors, and outcomes of osteonecrosis of the jaw: integrated analysis from three blinded active-controlled phase III trials in cancer patients with bone metastases. *Annals of Oncology*. 2012;23(5):1341–1347. doi:10.1093/annonc/mdr435
43. Jeong H-G, Hwang JJ, Lee J-H, et al. Risk factors of osteonecrosis of the jaw after tooth extraction in osteoporotic patients on oral bisphosphonates. *Imaging science in dentistry*. 2017;47(1):45. doi:10.5624/isd.2017.47.1.45
44. Vahtsevanos K, Kyrgidis A, Verrou E, et al. Longitudinal cohort study of risk factors in cancer patients of bisphosphonate-related osteonecrosis of the jaw. *Journal of Clinical Oncology*. 2009;27(32):5356–62. doi:10.1200/JCO.2009.21.9584
45. Nogueira D, Caldas IM, Dinis-Oliveira RJ. Bisphosphonates and osteonecrosis of the jaws: Clinical and forensic aspects. *Archives of Oral Biology*. 2023;155:105792. doi:10.1016/j.archoral-bio.2023.105792
46. Yamamoto S, Maeda K, Kouchi I, et al. Development of antiresorptive agent-related osteonecrosis of the jaw after dental implant removal: a case report. *Journal of Oral Implantology*. 2018;44(5):359–64. doi:10.1563/aaaid-joi-D-18-00032
47. Kalra S, Jain V. Dental complications and management of patients on bisphosphonate therapy: A review article. *Journal of Oral Biology and Craniofacial Research*. 2013;3(1):25–30. doi:10.1016/j.jobcr.2012.11.001
48. Mücke T, Krestan CR, Mitchell DA, et al. Bisfosfonat ve İlaçla İlgili Çene Osteonekrozu: Bir İnceleme. *Seminars in Musculoskeletal Radiology*. 2016; 20(3):305–314. doi:10.1055/s-0036-1592367
49. Abu-Id MH, Warnke PH, Gottschalk J, et al. “Bis-phossy jaws” –high and low risk factors for bisphosphonate-induced osteonecrosis of the jaw. *Journal of Cranio-Maxillofacial Surgery*. 2008;36(2):95–103. doi:10.1016/j.jcms.2007.06.008
50. Hoff AO, Toth BB, Altundag K, et al. Frequency and risk factors associated with osteonecrosis of the jaw in cancer patients treated with intravenous bisphosphonates. *Journal of Bone and Mineral Research*. 2008;23(6):826–836. doi:10.1359/jbmr.080205
51. Lehrer S, Montazem A, Ramanathan L, et al. Bisphosphonate-induced osteonecrosis of the jaws, bone markers, and a hypothesized candidate gene. *Journal of Oral and Maxillofacial Surgery*. 2009;67(1):159–161. doi:10.1016/j.joms.2008.09.015
52. da Silva JSP, Pullano E, Raje N, et al. Genetic predisposition for medication-related osteonecrosis of the jaws: A systematic review. *International Journal of Oral and Maxillofacial Surgery*. 2019;48(10):1289–1299. doi:10.1016/j.ijom.2019.04.014
53. Devlin H, Greenwall-Cohen J, Benton J, et al. Detecting the earliest radiological signs of bisphosphonate-related osteonecrosis. *British Dental Journal*. 2018;224(1):26–31. doi:10.1038/sj.bdj.2017.1001

54. Manole MC, Nicoara M, Burde AV, et al. Imaging Modalities in Medication-Related Osteonecrosis of the Jaw: A Narrative Review of Diagnostic Findings and Staging. *Medicina*. 2025;61(9). doi:10.3390/medicina61091578
55. Kim JE, Yoo S, Choi SC. Several issues regarding the diagnostic imaging of medication-related osteonecrosis of the jaw. *Imaging Science in Dentistry*. 2020;50(4):273–279. doi:10.5624/isd.2020.50.4.273
56. Ko YY, Yang WF, Leung YY. The Role of Cone Beam Computed Tomography (CBCT) in the Diagnosis and Clinical Management of Medication-Related Osteonecrosis of the Jaw (MRONJ). *Diagnostics*. 2024;14(16):1700. doi:10.3390/diagnostics14161700
57. Izzetti R, Gennai S, De Francesco P, et al. Panoramic Radiography Features of Medication-Related Osteonecrosis of the Jaws (MRONJ). *International Journal of Dentistry*. 2023;2023:1–8. doi:10.1155/2023/5358849
58. Wongratwanich P, Shimabukuro K, Konishi M, et al. Do various imaging modalities provide potential early detection and diagnosis of medication-related osteonecrosis of the jaw? A review. *Dentomaxillofacial Radiology*. 2021;50(6):20200417. doi:10.1259/dmfr.20200417
59. Ünsal G, Orhan K. *What do we expect to visualize on the radiographs of mronj patients?* Journal of Experimental and Clinical Medicine. 2021;38(S2):98–103. doi: 10.52142/omujecm.38.si.dent.4
60. Şahin O, Odabaşı O, Demiralp K, et al. Comparison of findings of radiographic and fractal dimension analyses on panoramic radiographs of patients with early-stage and advanced-stage medication-related osteonecrosis of the jaw. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology*. 2019;128(1):78–86. doi:10.1016/j.oooo.2019.03.002
61. Masri D, Chaushu G, Rosenfeld E, et al. Uncovering jaw-specific radiographic differences in medication related osteonecrosis of the jaws (MRONJ): a case-control study. *Clinical Oral Investigations*. 2026;30(4). doi:10.1007/s00784-026-06837-4
62. Badabaan GM, Singer SR, Creanga AG, et al. Systematic Review of Cone Beam Computed Tomography Use in Diagnosis of Medication-Related Osteonecrosis of the Jaw. *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*. 2020;130(2):e68–e69. doi:10.1016/j.oooo.2020.03.032
63. Aydemir ME, Yildirim D, Gormez O, et al. Evaluation of bone changes in medication-related osteonecrosis of the jaw by using fractal analysis on CBCT and panoramic radiographs. *BMC Oral Health*. 2025;26(1):83. doi:10.1186/s12903-025-07503-z
64. Ogura I, Minami Y, Ono J, et al. CBCT imaging and histopathological characteristics of osteoradionecrosis and medication-related osteonecrosis of the jaw. *Imaging Science in Dentistry*. 2021;51(1):73–80. doi:10.5624/isd.20200230
65. Fatterpekar GM, Emmrich JV, Eloy JA, et al. Bone-within-bone appearance: a red flag for bisphosphonate-associated osteonecrosis of the jaw. *Journal of Computer Assisted Tomography*. 2011;35(5):553–6. doi:10.1097/RCT.0b013e318227a81d
66. Mallya SM, Tetradis S. Imaging of Radiation – and Medication-Related Osteonecrosis. *Radio-logic Clinics of North America*. 2018;56(1):77–89. doi: 10.1016/j.rcl.2017.08.006
67. Wilde F, Steinhoff K, Frerich B, et al. Positron-emission tomography imaging in the diagnosis of bisphosphonate-related osteonecrosis of the jaw. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2009;107(3):412–419. doi:10.1016/j.tripleo.2008.09.019
68. Yilmaz S. Dental ve Maksillofasial Manyetik Rezonans Görüntüleme güncel bilgiler. *Selcuk Dental Journal*. 2022;9(2):729–737. doi:10.15311/selcukdentj.860805
69. Kajihara R, Kondo E, Fukuda H, et al. Precursor Radiographic Findings in Patients With Medication-Related Osteonecrosis of the Jaw. *Journal of Oral and Maxillofacial Surgery*. 2024;82(8):984–991. doi:10.1016/j.joms.2024.04.015
70. Huber FA, Schumann P, von Spiczak J, et al. Medication-Related Osteonecrosis of the Jaw-Comparison of Bone Imaging Using Ultrashort Echo-Time Magnetic Resonance Imaging and Cone-Beam Computed Tomography. *Investigative Radiology*. 2020;55(3):160–167. doi:10.1097/rli.0000000000000617

71. Sakamoto Y, Sawada S, Kojima Y. Medication-related osteonecrosis of the jaw without osteolysis on computed tomography: a retrospective and observational study. *Scientific Reports*. 2023;13(1). doi:10.1038/s41598-023-39755-6
72. Eşer G, Duman ŞB, Başaran M, et al. Manyetik Rezonans Görüntüleme ve Diş Hekimliği. *Black Sea Journal of Health Science*. 2022;5(1):130–137. doi:10.19127/bshealthscience.974736
73. Musu D, Rossi-Fedele G, Campisi G, et al. Ultrasonography in the diagnosis of bone lesions of the jaws: a systematic review *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*. 2016;122(1):e19–29. doi:10.1016/j.oooo.2016.03.022
74. Miyashita H, Kameyama K, Morita M, et al. Three-dimensional radiologic-pathologic correlation of medication-related osteonecrosis of the jaw using 3D bone SPECT/CT imaging. *Dento-maxillofacial Radiology*. 2019;48(8):20190208. doi:10.1259/dmfr.20190208
75. Reinert CP, Pfannenberger C, Guckel B, et al. Preoperative Assessment of Medication-Related Osteonecrosis of the Jaw Using [18F]fluoride Positron Emission Tomography (PET)/CT and [18F]fluorodeoxyglucose PET/MRI in Correlation with Histomorphometry and Micro-CT-A Prospective Comparative Study. *Diagnostics*. 2024;14(4):428. doi:10.3390/diagnostics14040428
76. Aljohani S, Brunner TF, Chronopoulos A, et al. Fluorescence-guided surgery of osteoradionecrosis of the jaw: a retrospective study. *Research Square*. 2021. doi:10.21203/rs.3.rs-832409/v1.
77. Giovannacci I, Venuti AA, Corcione L, et al. Autofluorescence-Guided Surgery in the Management of Osteonecrosis of the Jaw: Correlation Between Bone Autofluorescence and Histopathological Findings in 56 Samples. *Life*. 2025;15(5). doi:10.3390/life15050686
78. Huang H, Zhao N, Li Q, et al. The Therapeutic Effectiveness Using Fluorescence-Guided Surgery for MRONJ. *BioMed Research International*. 2022;2022:1650790. doi:10.1155/2022/1650790

CHAPTER 2

ADVANCED VISUALIZATION IN CONE-BEAM COMPUTED TOMOGRAPHY (CBCT): FROM VOLUME RENDERING (VR) TO CINEMATIC RENDERING (CR)

Buğra DOĞAN¹

1. INTRODUCTION

Radiographic imaging in dentistry began with Wilhelm Röntgen's discovery of X-rays in 1895 and was introduced into clinical dentistry the following year with Otto Walkhoff's first self-exposed dental radiograph (1). This pioneering step made film-based intraoral and panoramic techniques the gold standard throughout much of the twentieth century, and clinicians became accustomed to interpreting anatomy through two-dimensional (2D) shadows (2). With the introduction of digital sensors, image acquisition became possible within seconds, chemical processing was eliminated, and dose optimization was supported through appropriate protocol selection and fewer repeat exposures (3). The rapid availability of images, contrast and brightness adjustment, and easier archiving and sharing accelerated the replacement of conventional films by digital radiography; software-based image enhancement further improved diagnostic accuracy (4).

Computed tomography (CT) introduced the three-dimensional (3D) era in medicine in the 1970s by allowing volumes to be interpreted as cross-sectional images. However, its widespread use in dentistry remained limited because of relatively high radiation dose and bulky equipment (5). Cone-beam computed tomography (CBCT) was developed to address this limitation. Because it can image the dentomaxillofacial volume within a selected field of view in a single rotation and, in most dental indications, operates within a lower dose range than medical CT, CBCT has become one of the main methods of 3D imaging in dentistry (5-6).

¹ Research Assistant, Istanbul University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, bugra.dogan@istanbul.edu.tr ORCID iD: 0009-0005-3982-1994

REFERENCES

1. Wenzel A. Radiographic modalities for diagnosis of caries in a historical perspective: from film to machine-intelligence supported systems. *Dentomaxillofacial Radiology*. 2021;50(5):20210010. doi:10.1259/dmfr.20210010.
2. Molteni R. The way we were (and how we got here): fifty years of technology changes in dental and maxillofacial radiology. *Dentomaxillofacial Radiology*. 2021;50(1):20200133. doi:10.1259/dmfr.20200133.
3. Ardila CM, Vivares-Builes AM, Pineda-Vélez E. Image quality, radiation dose, and patient comfort associated with wireless sensors in digital radiography: a systematic review. *Dentistry Journal*. 2024;12(8):267. doi:10.3390/dj12080267.
4. Benavides E, Krecioch JR, Connolly RT, et al. Optimizing radiation safety in dentistry: clinical recommendations and regulatory considerations. *The Journal of the American Dental Association*. 2024;155(4):280-293.e4. doi:10.1016/j.adaj.2023.12.002.
5. Kaasalainen T, Ekholm M, Siiskonen T, et al. Dental cone beam CT: an updated review. *Physica Medica*. 2021;88:193-217. doi:10.1016/j.ejmp.2021.07.007.
6. Venkatesh E, Elluru SV. Cone beam computed tomography: basics and applications in dentistry. *Journal of Istanbul University Faculty of Dentistry*. 2017;51(3 Suppl 1):S102-S121. doi:10.17096/jiufd.00289.
7. Kiljunen T, Kaasalainen T, Suomalainen A, et al. Dental cone beam CT: a review. *Physica Medica*. 2015;31(8):844-860. doi:10.1016/j.ejmp.2015.09.004.
8. Fontenele RC, Gaêta-Araujo H, Jacobs R. Cone beam computed tomography in dentistry: clinical recommendations and indication-specific features. *Journal of Dentistry*. 2025;159:105781. doi:10.1016/j.jdent.2025.105781.
9. Jacobs R, Salmon B, Codari M, et al. Cone beam computed tomography in implant dentistry: recommendations for clinical use. *BMC Oral Health*. 2018;18(1):88. doi:10.1186/s12903-018-0523-5.
10. Nasseh I, Al-Rawi W. Cone beam computed tomography. *Dental Clinics of North America*. 2018;62(3):361-391. doi:10.1016/j.cden.2018.03.002.
11. Pauwels R. Cone beam CT for dental and maxillofacial imaging: dose matters. *Radiation Protection Dosimetry*. 2015;165(1-4):156-161. doi:10.1093/rpd/ncv057.
12. Brasil DM, Merken K, Binst J, et al. Monitoring cone-beam CT radiation dose levels in a university hospital. *Dentomaxillofacial Radiology*. 2023;52(3):20220213. doi:10.1259/dmfr.20220213.
13. Kaaber L, Matzen LH, Schropp L, et al. Low-dose CBCT protocols in implant dentistry: a systematic review. *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*. 2024;138(3):427-439. doi:10.1016/j.oooo.2024.03.013.
14. Zanon C, Pepe A, Cademartiri F, et al. Potential benefits of photon-counting CT in dental imaging: a narrative review. *Journal of Clinical Medicine*. 2024;13(8):2436. doi:10.3390/jcm13082436.
15. Patcas R, Angst C, Kellenberger CJ, et al. Method of visualisation influences accuracy of measurements in cone-beam computed tomography. *Journal of Cranio-Maxillofacial Surgery*. 2015;43(7):1277-1283. doi:10.1016/j.jcms.2015.05.001.
16. Ng SY. Visualisation of dental anatomy in CBCT scans (Part 2). *British Dental Journal*. 2024;237(3):179-196. doi:10.1038/s41415-024-7670-7.
17. Mazziotti S, Blandino A, Gaeta M, et al. Postprocessing in maxillofacial multidetector computed tomography. *Canadian Association of Radiologists Journal*. 2015;66(3):212-222. doi:10.1016/j.carj.2014.12.004.
18. Hassan B, Nijkamp P, Verheij H, et al. Precision of identifying cephalometric landmarks with cone beam computed tomography in vivo. *European Journal of Orthodontics*. 2013;35(1):38-44. doi:10.1093/ejo/cjr050.

19. Patel S, Brown J, Pimentel T, et al. Cone beam computed tomography in endodontics – a review of the literature. *International Endodontic Journal*. 2019;52(8):1138-1152. doi:10.1111/iej.13115.
20. Da Fonte JBM, Fontenele RC, Farias-Gomes A, et al. Do the number of zirconia implants and the thickness of CBCT image reconstruction affect the detection of peri-implant bone defect? A diagnostic accuracy ex vivo study. *Clinical Oral Implants Research*. 2024;35(11):1485-1492. doi:10.1111/clr.14336.
21. Gaêta-Araujo H, Alzoubi T, Vasconcelos KDE, et al. Cone beam computed tomography in dentomaxillofacial radiology: a two-decade overview. *Dentomaxillofacial Radiology*. 2020;49(8):20200145. doi:10.1259/dmfr.20200145.
22. Miracle AC, Mukherji SK. Conebeam CT of the head and neck, part 1: physical principles. *American Journal of Neuroradiology*. 2009;30(6):1088-1095. doi:10.3174/ajnr.A1653.
23. Fernandes TMF, Adamczyk J, Poleti ML, et al. Comparison between 3D volumetric rendering and multiplanar slices on the reliability of linear measurements on CBCT images: an in vitro study. *Journal of Applied Oral Science*. 2015;23(1):56-63. doi:10.1590/1678-775720130445.
24. Bhat SH, Hareesha KS, Kamath AT, et al. A framework to enhance the experience of CBCT data in real-time using immersive virtual reality: impacting dental pre-surgical planning. *IEEE Access*. 2024;12:45442-45455. doi:10.1109/ACCESS.2024.3375770.
25. Berger M, Li J, Levine JA. A generative model for volume rendering. *IEEE Transactions on Visualization and Computer Graphics*. 2019;25(4):1636-1650. doi:10.1109/TVCG.2018.2816059.
26. Lee TH, Lee J, Lee H, et al. Fast perspective volume ray casting method using GPU-based acceleration techniques for translucency rendering in 3D endoluminal CT colonography. *Computers in Biology and Medicine*. 2009;39(8):657-666. doi:10.1016/j.combiomed.2009.04.007.
27. Li L, Peng H, Chen X, et al. Visualization of boundaries in volumetric data sets through a what material you pick is what boundary you see approach. *Computer Methods and Programs in Biomedicine*. 2016;126:76-88. doi:10.1016/j.cmpb.2015.11.014.
28. Dogan Y, Sirin Y. Do cone beam CT picture archiving and communication systems viewer interfaces meet the expectations of dental professionals from a usability perspective? *Cureus*. 2024;16(2):e54288. doi:10.7759/cureus.54288.
29. Chan F, Brown LF, Parashos P. CBCT in contemporary endodontics. *Australian Dental Journal*. 2023;68(Suppl 1):S39-S55. doi:10.1111/adj.12995.
30. Sustercic D, Sersa I. Human tooth pulp anatomy visualization by 3D magnetic resonance microscopy. *Radiology and Oncology*. 2012;46(1):1-7. doi:10.2478/v10019-012-0018-y.
31. Kim G, Lee J, Lee H, et al. Automatic extraction of inferior alveolar nerve canal using feature-enhancing panoramic volume rendering. *IEEE Transactions on Biomedical Engineering*. 2011;58(2):253-264. doi:10.1109/TBME.2010.2089053.
32. Cavalcanti MGP, Ruprecht A, Vannier MW. 3D volume rendering using multislice CT for dental implants. *Dentomaxillofacial Radiology*. 2002;31(4):218-223. doi:10.1038/sj.dmfr.4600701.
33. Whymys BJ, Vorperian HK, Gentry LR, et al. The effect of computed tomographic scanner parameters and 3-dimensional volume rendering techniques on the accuracy of linear, angular, and volumetric measurements of the mandible. *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*. 2013;115(5):682-691. doi:10.1016/j.oooo.2013.02.008.
34. Alshomrani F. Cone-beam computed tomography (CBCT)-based diagnosis of dental bone defects. *Diagnostics*. 2024;14(13):1404. doi:10.3390/diagnostics14131404.
35. Khasawneh L, Al Mortadi N, Abu-Ishqair E, et al. Cone beam computed tomography changes upon oral appliance therapy for adult patients with obstructive sleep apnea: a non-randomized clinical trial. *Medicine*. 2024;103(40):e39923. doi:10.1097/MD.00000000000039923.
36. Can E, Böning G, Lüdemann WM, et al. Evaluation of a prototype metal artifact reduction algorithm for cone beam CT in patients undergoing radioembolization. *Scientific Reports*. 2024;14(1):16399. doi:10.1038/s41598-024-66978-y.

37. Pauwels R, Araki K, Siewerdsen JH, et al. Technical aspects of dental CBCT: state of the art. *Dentomaxillofacial Radiology*. 2015;44(1):20140224. doi:10.1259/dmfr.20140224.
38. Johnson PT, Schneider R, Lugo-Fagundo C, et al. MDCT angiography with 3D rendering: a novel cinematic rendering algorithm for enhanced anatomic detail. *American Journal of Roentgenology*. 2017;209(2):309-312. doi:10.2214/AJR.17.17903.
39. Stadlinger B, Valdec S, Wacht L, et al. 3D-cinematic rendering for dental and maxillofacial imaging. *Dentomaxillofacial Radiology*. 2020;49(1):20190249. doi:10.1259/dmfr.20190249.
40. Rowe SP, Zinreich SJ, Fishman EK. 3D cinematic rendering of the calvarium, maxillofacial structures, and skull base: preliminary observations. *British Journal of Radiology*. 2018;91(1086):20170826. doi:10.1259/bjr.20170826.
41. Willershausen I, Necker F, Kloeckner R, et al. Cinematic rendering to improve visualization of supplementary and ectopic teeth using CT datasets. *Dentomaxillofacial Radiology*. 2023;52(4):20230058. doi:10.1259/dmfr.20230058.
42. Hu R, Zhang XY, Liu J, et al. Clinical application of cinematic rendering in maxillofacial fractures. *International Journal of Oral and Maxillofacial Surgery*. 2022;51(12):1562-1569. doi:10.1016/j.ijom.2022.05.003.
43. Wang X, Ma G, Song J, et al. Heterogeneous many-core optimization for Monte Carlo path-tracing on new generation Sunway HPC system. *CCF Transactions on High Performance Computing*. 2024;6(6):566-587. doi:10.1007/s42514-024-00196-w.
44. Zellmann S, Wu Q, Sahistan A, et al. Beyond ExaBricks: GPU volume path tracing of AMR data. *Computer Graphics Forum*. 2024;43(3):e15095. doi:10.1111/cgf.15095.
45. Yuan Y, Yang J, Sun Q, et al. Precomputed low-frequency lighting in cinematic volume rendering. *PLOS ONE*. 2024;19(10):e0312339. doi:10.1371/journal.pone.0312339.
46. Brookmeyer C, Chu LC, Rowe SP, et al. Clinical implementation of cinematic rendering. *Current Problems in Diagnostic Radiology*. 2024;53(3):313-328. doi:10.1067/j.cpradiol.2024.01.010.
47. Bueno MR, Estrela C, Granjeiro JM, et al. Cone-beam computed tomography cinematic rendering: clinical, teaching and research applications. *Brazilian Oral Research*. 2021;35:e024. doi:10.1590/1807-3107bor-2021.vol35.0024.
48. Stehrer R, Malek M, Fellner FA. Cinematic rendering for virtual anatomy and pathoanatomy in cranio-maxillofacial trauma care. *Trauma and Emergency Care*. 2020;5(1). doi:10.15761/TEC.1000193.
49. Dappa E, Higashigaito K, Fornaro J, et al. Cinematic rendering – an alternative to volume rendering for 3D computed tomography imaging. *Insights into Imaging*. 2016;7(6):849-856. doi:10.1007/s13244-016-0518-1.
50. Al-Haj Husain A, Stojicevic M, Hainc N, et al. Advanced imaging and preoperative MR-based cinematic rendering reconstructions for neoplasms in the oral and maxillofacial region. *Diagnostics*. 2025;15(1):33. doi:10.3390/diagnostics15010033.
51. Al-Haj Husain A, Valdec S, Stadlinger B, et al. Preoperative visualization of the lingual nerve by 3D double-echo steady-state MRI in surgical third molar extraction treatment. *Clinical Oral Investigations*. 2022;26(2):2043-2053. doi:10.1007/s00784-021-04185-z.
52. Steffen T, Winklhofer S, Starz F, et al. Three-dimensional perception of cinematic rendering versus conventional volume rendering using CT and CBCT data of the facial skeleton. *Annals of Anatomy – Anatomischer Anzeiger*. 2022;241:151905. doi:10.1016/j.aanat.2022.151905.
53. Binder J, Krautz C, Engel K, et al. Leveraging medical imaging for medical education – a cinematic rendering-featured lecture. *Annals of Anatomy – Anatomischer Anzeiger*. 2019;222:159-165. doi:10.1016/j.aanat.2018.12.004.
54. Breen MS, Jawhar OM, Lustrin ES, et al. 3D cinematic volume-rendering technique of traumatic spine injuries: a powerful tool for radiology education. *Neurographics*. 2022;12(4):203-209. doi:10.3174/ng.2100069.
55. Glemser PA, Engel K, Simons D, et al. A new approach for photorealistic visualization of rendered computed tomography images. *World Neurosurgery*. 2018;114:e283-e292. doi:10.1016/j.wneu.2018.02.174.

56. Pachowsky ML, Morf H, Simon D, et al. Cinematic rendering in rheumatic diseases-photorealistic depiction of pathologies improves disease understanding for patients. *Frontiers in Medicine*. 2022;9:946106. doi:10.3389/fmed.2022.946106.
57. Elshafei M, Binder J, Baecker J, et al. Comparison of cinematic rendering and computed tomography for speed and comprehension of surgical anatomy. *JAMA Surgery*. 2019;154(8):738-744. doi:10.1001/jamasurg.2019.1168.
58. Shim J, Lee Y. No-reference-based and noise level evaluations of cinematic rendering in bone computed tomography. *Bioengineering*. 2024;11(6):563. doi:10.3390/bioengineering11060563.

CHAPTER 3

FIBRO-OSSEOUS LESIONS OF THE JAWS: RADIOLOGIC FEATURES AND DIFFERENTIAL DIAGNOSIS

Didem ÖZER¹
Sedef Ayşe TAŞYAPAN²

1. INTRODUCTION

Fibro-osseous lesions constitute a heterogeneous group of maxillofacial skeletal anomalies characterized by the replacement of normal bone with varying proportions of fibrous connective tissue and mineralized material (1,2). The mineralized component may be observed in the form of osteoid, woven or lamellar bone trabeculae, and cementum-like calcified structures (1). Rather than representing a specific diagnosis, the term “fibro-osseous lesion” serves as an umbrella term describing lesions with similar histopathological morphology (1,2). Lesions within this group may be developmental, dysplastic/reactive, or neoplastic in origin, and despite sharing similar microscopic features, they may demonstrate markedly different clinical behaviors, radiological appearances, treatment approaches, and long-term prognoses (2,3,4). The principal fibro-osseous lesions encountered in the jaw bones include fibrous dysplasia, cemento-osseous dysplasias, and ossifying fibromas (1,2). Rarer entities such as segmental odontomaxillary dysplasia and familial gigantiform cementoma are also considered within the fibro-osseous lesion spectrum in current classifications(2). The classification of benign fibro-osseous lesions is presented in Table 1. Because substantial overlap exists among these lesions at the histopathological level, differential diagnosis often relies on the evaluation of clinical findings and radiological features. Therefore, accurate diagnosis requires the integration of clinical, radiological, and histopathological findings (3,4).

¹ Research Assistant, Istanbul University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, didem.oz@istanbul.edu.tr, ORCID iD: 0009-0001-2156-8776

² DDS, PhD, Istanbul University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, sedefayseuyanik@gmail.com, ORCID iD: 0000-0002-1880-9276

REFERENCES

1. Neville BW, Damm DD, Allen CM, Chi AC. *Oral and Maxillofacial Pathology*. 5th ed. St. Louis: Elsevier; 2024.
2. Vered M, Wright JM. Update from the 5th edition of the World Health Organization Classification of Head and Neck Tumors: odontogenic and maxillofacial bone tumours. *Head Neck Pathol*. 2022;16:63-75. doi:10.1007/s12105-021-01404-7.
3. Pick E, Schäfer T, Al-Haj Husain A, Rupp NJ, Hingsammer L, Valdec S. Clinical, radiological, and pathological diagnosis of fibro-osseous lesions of the oral and maxillofacial region: a retrospective study. *Diagnostics*. 2022;12:238. doi:10.3390/diagnostics12020238.
4. Soluk-Tekkesin M, Sinanoglu A, Selvi F, Cakir Karabas H, Aksakalli N. The importance of clinical and radiological findings for the definitive histopathologic diagnosis of benign fibro-osseous lesions of the jaws: study of 276 cases. *J Stomatol Oral Maxillofac Surg*. 2022;123:364-371. doi:10.1016/j.jormas.2021.04.008.
5. Alsufyani N, Alzahrani A. Imaging of fibro-osseous lesions and other bone conditions of the jaws. *Dent Clin North Am*. 2024;68:297-317. doi:10.1016/j.cden.2023.09.005.
6. Lam EWN, Mallya SM. *White and Pharoah's Oral Radiology: Principles and Interpretation*. 9th ed. St. Louis: Elsevier; 2025.
7. Baumhoer D, Haeffliger S, Ameline B, Hartmann W, Amary F, Cleven A, et al. Ossifying fibroma of non-odontogenic origin: a fibro-osseous lesion in the craniofacial skeleton to be (re-)considered. *Head Neck Pathol*. 2022;16:257-267. doi:10.1007/s12105-021-01351-3.
8. Nemec SF, Schneider S, Friedrich KM, Weber M, Schwarz-Nemec U. Radiological follow-up of cemento-osseous dysplasia on cone-beam computed tomography. *J Craniomaxillofac Surg*. 2024;52:644-651. doi:10.1016/j.jcms.2024.03.008.
9. Günaçar DN, Köse TE, Arıcıoğlu B, Çene E. Retrospective radiological analysis of cemento-osseous dysplasia. *Dent Med Probl*. 2023;60(3):393-400. doi:10.17219/dmp/133405.
10. Nishimura S, Oda M, Habu M, Takahashi O, Tsurushima H, Otani T, et al. Imaging characteristics of embedded tooth-associated cemento-osseous dysplasia by retrospective study. *Tomography*. 2024;10:231-242. doi:10.3390/tomography10020018.
11. Pandiar D, Krishnan RP, Gopinath D, Reddy SSP, Veeraiyan DN, Vijayakumar G. Benign fibro-osseous lesions of the cranio-maxillofacial bones: an updated review with special emphasis on molecular pathogenesis. *J Bone Miner Metab*. 2026;44:1-17. doi:10.1007/s00774-025-01662-3.
12. Dewara ND, Sejati BP, Haryosuwandito E. Fibrous dysplasia of the jaws: four cases with conservative and resective surgical management. *Case Rep Plast Surg Hand Surg*. 2026;13(1):2646776. doi:10.1080/23320885.2026.2646776.
13. Kaur H, Mohanty S, Kochhar GK, Iqbal S, Verma A, Bhasin R, et al. Comprehensive management of malocclusion in maxillary fibrous dysplasia: a case report. *World J Clin Cases*. 2021;9(34):10671-10680. doi:10.12998/wjcc.v9.i34.10671.
14. Gresky J, Frotscher M, Thiem S, Stoessel A, Kalmykov A, Berezina N. Cemento-osseous dysplasia in a female Bronze Age skeleton (North Caucasus). *Head Neck Pathol*. 2025;19:28. doi:10.1007/s12105-025-01767-1.
15. Ko DE, Yoon JH, Kim AY, Song HM, Lee SB, Park WJ, et al. Cemento-osseous dysplasia mimicking periapical cyst after the orthodontic treatment of the mandible. *J Craniofac Surg*. 2025. doi:10.1097/SCS.00000000000011128.
16. Farias Morais HG, Colares DF, Souto Medeiros MR, Barros CCS, Morais EF, Miguel MCC, et al. Clinical, radiographic and histopathological analysis of cemento-ossifying fibromas and fibro-osseous lesions of the oral and maxillofacial region: a 53-year retrospective study and update of current concepts. *J Oral Pathol Med*. 2025;54:1062-1073. doi:10.1111/jop.70059.

17. Mishra D, Nayyar V, Viswanathan DJ, Jain T, Bhalla AS, Manchanda S, et al. Distinguishing the indistinct: a comparative clinicopathologic and radiologic analysis of cemento-ossifying fibroma, psammomatoid ossifying fibroma, and juvenile trabecular ossifying fibroma. *Oral Maxillofac Surg.* 2026;30:19. doi:10.1007/s10006-026-01507-x.
18. Patel JM, Joshi S, Pawar S, Nair V, Koranne V. Cemento-ossifying fibroma of the craniofacial region: a diagnostically challenging case report. *Cureus.* 2025;17(10):e94539. doi:10.7759/cureus.94539.

CHAPTER 4

CURRENT RADIOLOGICAL DEVELOPMENTS IN UNDERGRADUATE DENTAL EDUCATION

Ömer KOCA¹
Samed ŞATIR²

1. INTRODUCTION

Dental education encompasses a process that integrates various domains of knowledge and skills, including visual diagnosis, radiographic evaluation, and understanding three-dimensional anatomy, in addition to clinical skills. In this process, oral and maxillofacial radiology stands out as one of the fundamental disciplines in which students both develop their theoretical knowledge and acquire clinical reasoning skills (1,2).

Traditional educational methods have long relied on lectures, interpretation of two-dimensional radiographic images, and hands-on practice using phantom models (3). Although these methods play an important role in providing fundamental knowledge and skills, they cannot always fully reflect the variable nature of the clinical environment and patient diversity. Phantom models used in preclinical education provide students with opportunities for practice; however, they represent anatomical variations and the diversity of clinical conditions encountered in real patients only to a limited extent. In addition, the limited feedback students receive during the process of radiological image interpretation may lead to slower progression in the learning process. This issue becomes even more pronounced in the learning of advanced imaging modalities such as cone-beam computed tomography (CBCT) (4).

¹ Research Assistant, Karamanoğlu Mehmetbey University, Ahmet Keleşoğlu Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, omerkoca@kmu.edu.tr, ORCID iD: 0009-0008-0700-3526

² Assoc. Prof., Karamanoğlu Mehmetbey University, Ahmet Keleşoğlu Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, samedsatir@kmu.edu.tr, ORCID iD: 0000-0002-5863-5928

developments. The combined use of VR, AR, and AI technologies contributes to the development of hybrid learning environments that support students' visual and cognitive skills (4,6,15).

In the future, these technologies are expected to become more widely integrated into educational applications. In particular, AI-supported personalized learning approaches may provide content tailored to students' individual needs. In addition, the combined use of AR and VR systems with clinical data may strengthen the interaction between education and clinical practice (4,17,23).

5. CONCLUSION

Current developments in undergraduate dental radiology education demonstrate a transition from traditional teaching models toward digital, interactive, and AI-supported systems. While VR and AR technologies contribute to the development of students' spatial perception and clinical skills, AI systems support diagnostic processes and make the learning process more structured. E-learning and hybrid models facilitate the integration of these technologies into educational environments, providing a more flexible and accessible learning structure (3,6,13,15).

This process is not limited solely to changes in the technologies being used; it also represents a transformation in the educational approach to dentistry. In the future, radiology education is expected to continue evolving through more integrated digital systems and AI-supported learning approaches (6,15).

REFERENCES

1. Luke A, Mathew S, Kuriadom S, et al. Effectiveness of Problem-Based Learning versus Traditional Teaching Methods in Improving Acquisition of Radiographic Interpretation Skills among Dental Students—A Systematic Review and Meta-Analysis. *BioMed Research International*. 2021;2021. doi:10.1155/2021/9630285
2. Nassief S, Al Ali H, Towers A, Field J, Martin N. Dental students' perceptions of the use of two-dimensional and three-dimensional vision in dental education using a three-dimensional haptic simulator: a qualitative study. *Journal of Dental Education*. 2024;88(12):1730-1738. doi:10.1002/jdd.13682
3. Moussa RM, Alghazaly A, Althagafi N, Eshky R, Borzangy S. Effectiveness of Virtual Reality and Interactive Simulators on Dental Education Outcomes: Systematic Review. *European Journal of Dentistry*. 2021;16:14 – 31. doi:10.1055/s-0041-1731837
4. Bui D, Benavides E, Soki F, et al. A comparison of virtual reality and three-dimensional multiplanar educational methods for student learning of cone beam computed tomography interpretations. *Journal of dental education*. 2024. doi:10.1002/jdd.13631
5. Nagasawa R, Sato T, Isogai Y, Yamada Y, Imamura T, Fujii N. New Virtual Reality Educational Tool for Evaluating Dental Mirror Technique Skills: A Pilot Study. *Dentistry Journal*. 2025;13. doi:10.3390/dj13120566

6. Puleio F, Tosco V, Pirri R, Simeone M, Monterubbianesi R, Lo Giudice G, et al. Augmented reality in dentistry: enhancing precision in clinical procedures—a systematic review. *Clinics and Practice*. 2024;14(6):2267-2283.
7. Kavaddella A, Uribe SE, da Silva MAD, Schwendicke F, Tichý A, Jacobs R, et al. Dental students' knowledge, perceptions, and educational needs regarding artificial intelligence: a multinational cross-sectional survey. *BMC Medical Education*. 2026. doi: 10.1186/s12909-026-08699-6
8. Rodrigues P, Esteves A, Botelho J, et al. Usability, acceptance, and educational usefulness study of a new haptic operative dentistry virtual reality simulator. *Computer methods and programs in biomedicine*. 2022;221: 106831. doi:10.1016/j.cmpb.2022.106831
9. Bahadır H, Keskin N, Çakmak E, Güneç G, Aydın KC, Sari SK. Comparison of diagnoses made by dentistry students and by artificial intelligence dentists. *Journal of dental education*. 2024. doi:10.1002/jdd.13810
10. Bottini D, Abella Sans F, Sanchez JAG, Abbott PV, Durán-Sindreu F, Garcia-Font M. Usability and perceived usefulness of a web-based clinical decision support system for managing periapical radiolucencies in root-filled teeth. *Journal of Dental Education*. 2026;90(3):391-398. doi: 10.1002/jdd.13953
11. Gil YM, Lee BD. Effectiveness of using concept mapping by dental students in the radiographic interpretation of jaw diseases. *Journal of Dental Education*. 2024;88(10):1419-1425. doi: 10.1002/jdd.13590
12. Ms M, Cho VY, FelsyPremila G, Nirmal L, Sujitha P, Bhavyaa R, et al. Visual interpretation of clinical images among dental students using eye-tracking technology. *Journal of Dental Education*. 2024;88(5):606-613. doi: 10.1002/jdd.13482
13. Math SY, Sultan OS, Anuar MFBZ, Pacheco-Pereira C. Interactive e-learning module: enhancing panoramic radiograph interpretation skills of dental students. *Journal of Dental Education*. 2026;90(1):136-146. doi: 10.1002/jdd.13923
14. Im J, Gu J, Lim E, Lee J. Virtual reality technology using a 360° video: development and evaluation of an educational tool for intraoral radiography using the bisecting angle technique. *Virtual Reality*. 2023. doi:10.1007/s10055-023-00803-1
15. Ayan E, Bayraktar Y, Çelik Ç, Ayhan B. Dental student application of artificial intelligence technology in detecting proximal caries lesions. *Journal of dental education*. 2024. doi:10.1002/jdd.13437
16. Chang J, Bliss L, Angelov N, Glick A. Artificial intelligence-assisted full-mouth radiograph mounting in dental education. *Journal of dental education*. 2024. doi:10.1002/jdd.13524
17. Or A, Sukumar S, Ma A, Ang D, Liu M, Ritchie HE, et al. Enhancing dental students' history-taking skills with a generative artificial intelligence chatbot. *Journal of Dental Education*. 2026;90(3):384-390. doi: 10.1002/jdd.13952
18. Liebermann A, Seefelder JK, Huth K, Erdelt K. Mobile virtual tooth morphology teaching environment for preclinical dental students. *Journal of dental education*. 2022. doi:10.1002/jdd.13098
19. Bhat SH, Hareesh K, Kamath AT, Kudva A, Vineetha R, Nair A. A Framework to Enhance the Experience of CBCT Data in Real-Time Using Immersive Virtual Reality: Impacting Dental Pre-Surgical Planning. *IEEE Access*. 2024;12:45442-45455. doi:10.1109/access.2024.3375770
20. Bevizova K, Falougy HE, Thurzo A, Harsanyi S. Is virtual reality enhancing dental anatomy education? A systematic review and meta-analysis. *BMC Medical Education*. 2024;24:1395. doi: 10.1186/s12909-024-06233-0
21. Farronato M, Maspero C, Lanteri V, Fama A, Ferrati F, Pettenuzzo A, et al. Current state of the art in the use of augmented reality in dentistry: a systematic review of the literature. *BMC Oral Health*. 2019;19(1):135. doi: 10.1186/s12903-019-0808-3
22. Ahmed WM, Azhari AA. Smart glasses in dentistry: technologies, use cases, and future directions. *Biomedical Engineering and Computational Biology*. 2025;16:11795972251404258. doi: 10.1177/11795972251404258

23. Or AJ, Sukumar S, Ritchie HE, Sarrafpour B. Using artificial intelligence chatbots to improve patient history taking in dental education (Pilot study). *Journal of Dental Education*. 2024;88:1988 – 1990. doi:10.1002/jdd.13591
24. Fischer KM, Sekula MN, Hannigan JD, Vaught RL, House H, De Souza GM, et al. Effects of simulation-based flipped classroom in developing head and neck examination skills in dental students. *Journal of Dental Education*. 2024;88(6):848-855. doi: 10.1002/jdd.13490
25. Lee B, Mun S, Noh H, et al. Effectiveness of Scenario-Based Dental Hygiene Education Using Virtual Reality: Intraoral Radiography Training. *European journal of dental education: official journal of the Association for Dental Education in Europe*. 2025. doi:10.1111/eje.70039

CHAPTER 5

EXPLAINABLE ARTIFICIAL INTELLIGENCE IN ORAL AND MAXILLOFACIAL RADIOLOGY: FROM BLACK-BOX ALGORITHMS TO CLINICALLY TRUSTWORTHY IMAGING

Büşra ÖZTÜRK¹

1. INTRODUCTION

Artificial intelligence (AI) has rapidly emerged as one of the most transformative technologies in modern healthcare and medical imaging. In recent years, significant advances in computational power, data processing capacity, and deep learning (DL) architectures have accelerated the integration of AI into various dental specialties, particularly oral and maxillofacial radiology (1, 2). Simultaneously, the transition from conventional radiographic techniques to fully digital imaging systems has substantially increased the amount and complexity of radiologic data generated during routine clinical practice. As a result, AI-based systems have gained considerable attention for their potential to improve image interpretation, diagnostic accuracy, workflow efficiency, and clinical decision-making in dento-maxillofacial imaging (3).

Among contemporary imaging modalities, cone beam computed tomography (CBCT) has become one of the most important diagnostic tools in oral and maxillofacial radiology because of its ability to provide high-resolution three-dimensional visualization of craniofacial structures while exposing patients to lower ra-

¹ Asst. Prof., Erciyes University Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, dtbusraozturk1@gmail.com, ORCID iD: 0000-0001-6182-8758

gorithm focuses, future explainable systems may clarify why specific conclusions were reached and how alternative scenarios could influence diagnostic outcomes. Such developments may substantially improve the interpretability and educational value of AI-assisted imaging systems (18).

Human-AI collaboration is likely to become a defining characteristic of future healthcare environments. Rather than replacing clinicians, AI is increasingly viewed as a complementary technology that enhances human expertise and supports decision-making processes (63). In this collaborative framework, AI systems may assist with image analysis, data integration, and risk prediction, while clinicians remain responsible for contextual interpretation, ethical judgment, and patient communication. XAI may strengthen this partnership by providing transparent reasoning processes that clinicians can evaluate and incorporate into their diagnostic workflows. Future imaging systems may therefore function as collaborative platforms in which human expertise and computational intelligence operate synergistically to improve diagnostic performance and patient outcomes (64).

As AI technologies continue to mature, future innovations will likely focus on developing systems that are not only highly accurate but also understandable, ethical, and clinically reliable. The convergence of trustworthy AI, personalized radiology, explainable DL, and human-AI collaboration may ultimately redefine the role of AI in dentomaxillofacial imaging, supporting a more transparent and patient-centered approach to diagnostic imaging (60).

REFERENCES

1. LeCun Y, Bengio Y, Hinton G. Deep learning. *Nature*. 2015;521(7553):436–44.
2. Negrete D, Lopes SLPdC, Barretto MddA, et al. Artificial intelligence and dentomaxillofacial radiology education: innovations and perspectives. *Dentistry Journal*. 2025;13(6):245.
3. Schwendicke Fa, Samek W, Krois J. Artificial intelligence in dentistry: chances and challenges. *Journal of dental research*. 2020;99(7):769–74.
4. Scarfe WC, Farman AG. What is cone-beam CT and how does it work? *Dental Clinics of North America*. 2008;52(4):707–30.
5. Miracle A, Mukherji S. Conebeam CT of the head and neck, part 1: physical principles. *American Journal of Neuroradiology*. 2009;30(6):1088–95.
6. White SC, Pharoah MJ. *Oral radiology-E-Book: Principles and interpretation*. Elsevier Health Sciences; 2014.
7. Mureșanu S, Almășan O, Hedeșiu M, et al. Artificial intelligence models for clinical usage in dentistry with a focus on dentomaxillofacial CBCT: a systematic review. *Oral Radiology*. 2023;39(1):18–40.
8. Litjens G, Kooi T, Bejnordi BE, et al. A survey on deep learning in medical image analysis. *Medical image analysis*. 2017;42:60–88.
9. Ali M, Irfan M, Ali T, et al. Artificial intelligence in dental radiology: a narrative review. *Annals of Medicine and Surgery*. 2025;87(4):2212–7.
10. Arijji Y, Yanashita Y, Kutsuna S, et al. Automatic detection and classification of radiolucent lesions in the mandible on panoramic radiographs using a deep learning object detection technique. *Oral surgery, oral medicine, oral pathology and oral radiology*. 2019;128(4):424–30.

11. Jacob ES, RcmoNEdSNBABAABCD CFV. What the radiologist should know about artificial intelligence—an ESR white paper. *Insights into imaging*. 2019;10(1):44.
12. Geis JR, Brady AP, Wu CC, et al. Ethics of artificial intelligence in radiology: summary of the joint European and North American multisociety statement. *Radiology*. 2019;293(2):436–40.
13. Sarwar S, Jabin S. AI techniques for cone beam computed tomography in dentistry: trends and practices. *2023 International Conference on Recent Advances in Electrical, Electronics & Digital Healthcare Technologies (REEDCON)*, 2023.
14. Castelvechi D. Can we open the black box of AI? *Nature News*. 2016;538(7623):20.
15. Samek W, Müller K-R. Towards explainable artificial intelligence. Explainable AI: interpreting, explaining and visualizing deep learning. *Springer*. 2019:5–22.
16. Kelly CJ, Karthikesalingam A, Suleyman M, et al. Key challenges for delivering clinical impact with artificial intelligence. *BMC medicine*. 2019;17(1):195.
17. Chartrand G, Cheng PM, Vorontsov E, et al. Deep learning: a primer for radiologists. *Radiographics*. 2017;37(7):2113–31.
18. De Vries BM, Zwezerijnen GJ, Burchell GL, et al. Explainable artificial intelligence (XAI) in radiology and nuclear medicine: a literature review. *Frontiers in medicine*. 2023;10:1180773.
19. Selvaraju RR, Cogswell M, Das A, et al. Grad-cam: Visual explanations from deep networks via gradient-based localization. *Proceedings of the IEEE international conference on computer vision*, 2017.
20. Holzinger A, Biemann C, Pattichis CS, et al. What do we need to build explainable AI systems for the medical domain? *arXiv preprint arXiv:1712.09923*. 2017.
21. Mitchell TM. Artificial neural networks. *Machine learning*. 1997;45(81):127.
22. Erickson BJ, Korfiatis P, Akkuz Z, et al. Machine learning for medical imaging. *Radiographics*. 2017;37(2):505–15.
23. Deo RC. Machine learning in medicine. *Circulation*. 2015;132(20):1920–30.
24. Goodfellow I, Bengio Y, Courville A, et al. Deep learning: MIT press Cambridge. 2016.
25. Krizhevsky A, Sutskever I, Hinton GE. ImageNet classification with deep convolutional neural networks. *Communications of the ACM*. 2017;60(6):84–90.
26. Doshi-Velez F, Kim B. Towards a rigorous science of interpretable machine learning. *arXiv preprint arXiv:1702.08608*. 2017.
27. Adadi A, Berrada M. Peeking inside the black-box: a survey on explainable artificial intelligence (XAI). *IEEE access*. 2018;6:52138–60.
28. Guidotti R, Monreale A, Ruggieri S, et al. A survey of methods for explaining black box models. *ACM computing surveys (CSUR)*. 2018;51(5):1–42.
29. Lundberg SM, Lee S-I. A unified approach to interpreting model predictions. *Advances in neural information processing systems*. 2017;30.
30. Ai H. High-level expert group on artificial intelligence. *Ethics guidelines for trustworthy AI*. 2019;6(15.3):2024.
31. Ahmad MA, Eckert C, Teredesai A, editors. Interpretable machine learning in healthcare. *Proceedings of the 2018 ACM international conference on bioinformatics, computational biology, and health informatics*, 2018.
32. Jobin A, Ienca M, Vayena E. The global landscape of AI ethics guidelines. *Nature machine intelligence*. 2019;1(9):389–99.
33. Morley J, Machado CC, Burr C, et al. The ethics of AI in health care: a mapping review. *Social science & medicine*. 2020;260:113172.
34. Arrieta AB, Diaz-Rodríguez N, Del Ser J, et al. Explainable Artificial Intelligence (XAI): Concepts, taxonomies, opportunities and challenges toward responsible AI. *Information fusion*. 2020;58:82–115.
35. Chattopadhyay A, Sarkar A, Howlader P, et al. Grad-cam++: Generalized gradient-based visual explanations for deep convolutional networks. *2018 IEEE winter conference on applications of computer vision (WACV)*, 2018.
36. Molnar C, Casalicchio G, Bischl B, et al. Interpretable machine learning—a brief history, state-

of-the-art and challenges. *Joint European conference on machine learning and knowledge discovery in databases*, 2020.

37. Simonyan K, Vedaldi A, Zisserman A. Deep inside convolutional networks: Visualising image classification models and saliency maps. *arXiv preprint arXiv:13126034*. 2013.
38. Adebayo J, Gilmer J, Muelly M, et al. Sanity checks for saliency maps. *Advances in neural information processing systems*. 2018;31.
39. Vaswani A, Shazeer N, Parmar N, et al. Attention is all you need. *Advances in neural information processing systems*. 2017;30.
40. Jetley S, Lord NA, Lee N, et al. Learn to pay attention. *ICLR*. 2018.
41. Ribeiro MT, Singh S, Guestrin C, et al. "Why should i trust you?" Explaining the predictions of any classifier. *Proceedings of the 22nd ACM SIGKDD international conference on knowledge discovery and data mining*, 2016.
42. Carvalho DV, Pereira EM, Cardoso JS. Machine learning interpretability: A survey on methods and metrics. *Electronics*. 2019;8(8):832.
43. Sundararajan M, Taly A, Yan Q, et al. Axiomatic attribution for deep networks. *International conference on machine learning*, 2017.
44. Bach S, Binder A, Montavon G, et al. On pixel-wise explanations for non-linear classifier decisions by layer-wise relevance propagation. *PloS one*. 2015;10(7):e0130140.
45. Borys K, Schmitt YA, Nauta M, et al. Explainable AI in medical imaging: An overview for clinical practitioners–Beyond saliency-based XAI approaches. *European journal of radiology*. 2023;162:110786.
46. Hung KF, Ai QYH, Wong LM, et al. Current applications of deep learning and radiomics on CT and CBCT for maxillofacial diseases. *Diagnostics*. 2022;13(1):110.
47. Tjoa E, Guan C. A survey on explainable artificial intelligence (xai): Toward medical xai. *IEEE transactions on neural networks and learning systems*. 2020;32(11):4793–813.
48. Ezhov M, Gusarev M, Golitsyna M, et al. Clinically applicable artificial intelligence system for dental diagnosis with CBCT. *Scientific reports*. 2021;11(1):15006.
49. Endres MG, Hillen F, Salloumis M, et al. Development of a deep learning algorithm for periapical disease detection in dental radiographs. *Diagnostics*. 2020;10(6):430.
50. Kwak GH, Kwak E-J, Song JM, et al. Automatic mandibular canal detection using a deep convolutional neural network. *Scientific Reports*. 2020;10(1):5711.
51. Kempers S, van Lierop P, Hsu T-MH, et al. Positional assessment of lower third molar and mandibular canal using explainable artificial intelligence. *Journal of Dentistry*. 2023;133:104519.
52. Kunz F, Stellzig-Eisenhauer A, Zeman F, et al. Artificial intelligence in orthodontics: Evaluation of a fully automated cephalometric analysis using a customized convolutional neural network. *Journal of Orofacial Orthopedics/Fortschritte der Kieferorthopädie*. 2020;81(1):52–68.
53. Price WN, Cohen IG. Privacy in the age of medical big data. *Nature medicine*. 2019;25(1):37–43.
54. Topol EJ. High-performance medicine: the convergence of human and artificial intelligence. *Nature medicine*. 2019;25(1):44–56.
55. Holzinger A. Interactive machine learning for health informatics: when do we need the human-in-the-loop? *Brain informatics*. 2016;3(2):119–31.
56. Food U, Administration D. Artificial intelligence and machine learning (AI/ML)-enabled medical devices. 2024.
57. Benjamins S, Dhunoo P, Meskó B. The state of artificial intelligence-based FDA-approved medical devices and algorithms: an online database. *NPJ digital medicine*. 2020;3(1):118.
58. Esteva A, Robicquet A, Ramsundar B, et al. A guide to deep learning in healthcare. *Nature medicine*. 2019;25(1):24–9.
59. Floridi L, Cows J. A unified framework of five principles for AI in society. *Machine learning and the city: Applications in architecture and urban design*. 2022:535–45.
60. Wiens J, Saria S, Sendak M, et al. Do no harm: a roadmap for responsible machine learning for health care. *Nature medicine*. 2019;25(9):1337–40.

61. Schork NJ. Artificial intelligence and personalized medicine. *Precision medicine in Cancer therapy: Springer*. 2019:265–83.
62. Ghassemi M, Oakden-Rayner L, Beam AL. The false hope of current approaches to explainable artificial intelligence in health care. *The lancet digital health*. 2021;3(11):e745–e50.
63. Jiang F, Jiang Y, Zhi H, et al. Artificial intelligence in healthcare: past, present and future. *Stroke and vascular neurology*. 2017;2(4).
64. Longoni C, Bonezzi A, Morewedge CK. Resistance to medical artificial intelligence. *Journal of consumer research*. 2019;46(4):629–50.

Note: The author used ChatGPT (OpenAI, GPT-4, 2024, San Francisco, CA, USA) as a language and content development assistance tool during the preparation of this book chapter. The AI system was utilized to support literature organization, content structuring, language refinement, and drafting of preliminary text. All scientific interpretations, critical evaluations, fact-checking, and final editorial decisions were performed by the author, who takes full responsibility for the content of this chapter.

CHAPTER 6

DYSGEUSIA

Mehmet Mete MİCAN¹

Fatma ASLAN²

1. INTRODUCTION

The human body inherently possesses the ability to perceive five different senses: vision, hearing, taste, smell, and touch (1). These senses enable the organism to interact with its environment and process the information necessary for survival. Among them, taste contributes directly to the regulation of energy intake and nutritional needs, thereby playing a crucial role in maintaining nutritional balance and supporting normal physiological functions (1).

In the literature, five primary taste modalities are generally recognized: sweet, salty, sour, bitter, and umami (1,2). In addition, recent studies have begun to identify novel taste profiles such as metallic, calcium, and fatty tastes (1). Through the sense of taste, individuals are able to identify the characteristics of consumed foods while obtaining essential nutrients required by the body. For example, sweet taste perception is linked to the detection of carbohydrates, a primary source of energy for the body; umami taste reflects the presence of L-glutamate and several other L-amino acids, thereby indicating protein content; whereas sour taste is thought to reflect the acid concentration of foods (2). Furthermore, this sensory system functions as a protective defense mechanism by identifying potentially toxic or harmful substances through bitter taste perception, thereby eliciting aversive responses and rejection of such substances (2). Salty taste, on the other hand, regulates the intake of sodium and other minerals, playing an essential role in maintaining blood homeostasis and electrolyte balance (2). Moreover, taste per-

¹ Research Assistant, Recep Tayyip Erdoğan University, Faculty of Dentistry Department of Oral and Maxillofacial Radiology, mehmetmete.mican@erdogan.edu.tr, ORCID iD: 0009-0004-4373-4378

² Research Assistant Recep Tayyip Erdoğan University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, ceren4623@gmail.com, ORCID iD: 0009-0000-2235-473X

taste receptor sensitivity and gustatory neurotransmission (59,62). Dysgeusia in cancer patients is clinically significant because it may lead to decreased appetite, malnutrition, impaired treatment adherence, and reduced quality of life (58-62). Therefore, early diagnosis and a multidisciplinary approach, including nutritional support, appropriate oral care protocols, xerostomia management, and zinc supplementation in selected cases, may contribute to the alleviation of taste disorders (58,59,62).

4. CONCLUSION

Dysgeusia is a clinically significant and multifactorial sensory disorder that may affect nutrition, treatment adherence, psychosocial well-being, and overall quality of life, particularly in elderly individuals, patients receiving pharmacological therapy, individuals undergoing cancer treatment, and patients with viral infections such as COVID-19 (1,29,51,61). Advances in the understanding of taste receptor biology and gustatory signaling pathways have provided greater insight into the complex mechanisms underlying taste dysfunction and have highlighted the importance of comprehensive clinical evaluation in affected patients (2,17). Effective management of dysgeusia includes identification and treatment of the underlying cause, optimization of oral health, management of xerostomia and oral mucosal conditions, nutritional counseling, medication review, and supportive approaches such as zinc supplementation in selected cases (1,51,61). Early diagnosis and a multidisciplinary approach are of great importance for reducing the clinical burden of dysgeusia and improving patient comfort, nutritional status, and quality of life (1,29,51,61).

REFERENCES

1. Thomas DC, Chablani D, Parekh S, et al. Dysgeusia: A review in the context of COVID-19. *The Journal of the American Dental Association*. 2022;153(3):251-264.
2. Chaudhari N, Roper SD. The cell biology of taste. *J Cell Biol*. 2010;190(3):285-296.
3. Rawal S, Hoffman HJ, Bainbridge KE, et al. Prevalence and risk factors of self-reported smell and taste alterations: results from the 2011-2012 US National Health and Nutrition Examination Survey (NHANES). *Chemical Senses*. 2016;41(1):69-76.
4. Bromley SM. Smell and taste disorder: a primary care approach. *American Family Physician*. 2000;61(2):427-436.
5. Syed Q, Hendler KT, Koncilja K. The impact of aging and medical status on dysgeusia. *The American Journal of Medicine*. 2016;129(7):753-e1.
6. Fark T, Hummel C, Hähner A, et al. Characteristics of taste disorders. *European Archives of Oto-Rhino-Laryngology*. 2013;270(6):1855-1860.
7. Doyle ME, Premathilake HU, Yao Q, et al. Physiology of the tongue with emphasis on taste transduction. *Physiological Reviews*. 2023.
8. Kumari A, Mistretta CM. Anterior and posterior tongue regions and taste papillae: Distinct roles and regulatory mechanisms with an emphasis on Hedgehog signaling and antagonism. *International Journal of Molecular Sciences*. 2023;24(5):4833.

9. Kim SY, Naqvi IA. Neuroanatomy, cranial nerve 12 (hypoglossal). In: *StatPearls*. Treasure Island (FL): StatPearls Publishing; 2018.
10. Gibbons JR, Sadiq NM. Neuroanatomy, neural taste pathway. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing; 2019.
11. Kulig K, Wiśniowski M, Thum-Tyzo K, et al. Differences in the morphological structure of the human tongue. *Folia Morphologica*. 2024;83(2):262-274.
12. Witt M, Reutter K. Anatomy of the tongue and taste buds. In: Doty RL (ed.) *Handbook of olfaction and gustation*. 3rd ed. Hoboken, NJ: John Wiley & Sons; 2015. p. 637-664.
13. Ponnusamy V, Subramanian G, Muthuswamy K, et al. Tongue papillae density and fat taster status-a cardinal role on sweet and bitter taste perception among Indian population. *Food Research International*. 2023;163:112294.
14. Van Gils LM, Slot DE, Van der Sluijs E, et al. Tongue coating in relationship to gender, plaque, gingivitis and tongue cleaning behaviour in systemically healthy young adults. *International Journal of Dental Hygiene*. 2020;18(1):62-72.
15. Cheng LHH, Robinson PP. The distribution of fungiform papillae and taste buds on the human tongue. *Archives of Oral Biology*. 1991;36(8):583-589.
16. Mistretta CM, Bradley RM. The fungiform papilla is a complex, multimodal, oral sensory organ. *Current Opinion in Physiology*. 2021;20:165-173.
17. von Molitor E, Riedel K, Krohn M, et al. Sweet taste is complex: signaling cascades and circuits involved in sweet sensation. *Frontiers in Human Neuroscience*. 2021;15:667709.
18. Thomas DC, Baddireddy SM, Kohli D. Anosmia: A review in the context of coronavirus disease 2019 and orofacial pain. *The Journal of the American Dental Association*. 2020;151(9):696-702.
19. Small DM, Prescott J. Odor/taste integration and the perception of flavor. *Experimental Brain Research*. 2005;166(3):345-357.
20. Hayashi K, Nakada Y, Sémon E, et al. Retronasal aroma of beef pate analyzed by a chewing simulator. *Molecules*. 2022;27(10):3259.
21. Bojanowski V, Hummel T. Retronasal perception of odors. *Physiology & Behavior*. 2012;107(4):484-487.
22. Doty RL, Bromley SM. Effects of drugs on olfaction and taste. *Otolaryngologic Clinics of North America*. 2004;37(6):1229-1254.
23. Faas MM, Melgert BN, de Vos P. A brief review on how pregnancy and sex hormones interfere with taste and food intake. *Chemosensory Perception*. 2010;3(1):51-56.
24. Labunet A, Objelean A, Kui A, et al. Oral Manifestations in Menopause—A Scoping Review. *Medicina*. 2025;61(5):837.
25. Forabosco A, Criscuolo M, Coukos G, et al. Efficacy of hormone replacement therapy in postmenopausal women with oral discomfort. *Oral Surgery, Oral Medicine, Oral Pathology*. 1992;73(5):570-574.
26. Imamura Y, Shinozaki T, Okada-Ogawa A, et al. An updated review on pathophysiology and management of burning mouth syndrome with endocrinological, psychological and neuropathic perspectives. *J Oral Rehabil*. 2019;46(6):574-587. doi:10.1111/joor.12795.
27. Just T, Steiner S, Pau HW. Oral pain perception and taste in burning mouth syndrome. *J Oral Pathol Med*. 2010;39(1):22-27. doi:10.1111/j.1600-0714.2009.00824.x.
28. Lechien JR, Chiesa-Estomba CM, De Siati DR, et al. Olfactory and gustatory dysfunctions as a clinical presentation of mild-to-moderate forms of the coronavirus disease (COVID-19): a multicenter European study. *European Archives of Oto-Rhino-Laryngology*. 2020;277(8):2251-2261.
29. Passarelli PC, Lopez MA, Mastandrea Bonaviri GN, et al. Taste and smell as chemosensory dysfunctions in COVID-19 infection. *Am J Dent*. 2020;33(3):135-137.
30. Brann DH, Tsukahara T, Weinreb C, et al. Non-neuronal expression of SARS-CoV-2 entry genes in the olfactory system suggests mechanisms underlying COVID-19-associated anosmia. *Science Advances*. 2020;6(31):eabc5801.
31. Boscolo-Rizzo P, Polesel J, Vaira LA. Smell and taste dysfunction after covid-19. *BMJ*. 2022;378.

32. Li Y, Hou L, Gan X, et al. Meta-analysis of the effect of non-pharmacological interventions on the development of dysgeusia in patients undergoing radiotherapy for head and neck squamous cell carcinoma. *Scientific Reports*. 2025;15(1):1094.
33. Sardellitti L, Filigheddu E, Mastandrea G, et al. Taste Dysfunction in Head and Neck Cancer: Pathophysiology and Clinical Management—A Comprehensive Review. *Biomedicines*. 2025;13(8):1853.
34. Palmieri M, Sarmiento DJ, Falcão AP, et al. Frequency and evolution of acute oral complications in patients undergoing radiochemotherapy treatment for head and neck squamous cell carcinoma. *Ear, Nose & Throat Journal*. 2021;100(5_suppl):449S-455S.
35. Logan HL, Bartoshuk LM, Fillingim RB, et al. Metallic taste phantom predicts oral pain among 5-year survivors of head and neck cancer. *Pain*. 2008;140(2):323-331.
36. Kalantar-Zadeh K, Jafar TH, Nitsch D, et al. Chronic kidney disease. *The Lancet*. 2021;398(10302):786-802.
37. Sguanci M, Ferrara G, Palomares SM, et al. Dysgeusia and chronic kidney disease: a scoping review. *Journal of Renal Nutrition*. 2024;34(5):374-390.
38. Fitzgerald C, Wiese G, Moorthi RN, et al. Characterizing dysgeusia in hemodialysis patients. *Chemical Senses*. 2019;44(3):165-171.
39. Brennan F, Stevenson J, Brown M. The pathophysiology and management of taste changes in chronic kidney disease: a review. *Journal of Renal Nutrition*. 2020;30(5):368-379.
40. Manley KJ. Will mouth wash solutions of water, salt, sodiumbicarbonate or citric acid improve upper gastrointestinal symptoms in chronic kidney disease. *Nephrology*. 2017;22(3):213-219.
41. Solemdal K, Sandvik L, Willumsen T, et al. The impact of oral health on taste ability in acutely hospitalized elderly. *PloS One*. 2012;7(5):e36557.
42. Negrato CA, Tarzia O. Buccal alterations in diabetes mellitus. *Diabetology & Metabolic Syndrome*. 2010;2(1):3.
43. Jafari A, Alaei A, Ghods K. The etiologies and considerations of dysgeusia: A review of literature. *Journal of Oral Biosciences*. 2021;63(4):319-326.
44. Kushwaha JS, Gupta VK, Singh A, et al. Significant correlation between taste dysfunction and HbA1C level and blood sugar fasting level in type 2 diabetes mellitus patients in at a tertiary care center in north India. *Diabetes Epidemiology and Management*. 2022;8:100092.
45. Deems DA, Doty RL, Settle RG, et al. Smell and taste disorders, a study of 750 patients from the University of Pennsylvania Smell and Taste Center. *Archives of Otolaryngology-Head & Neck Surgery*. 1991;117(5):519-528.
46. Small DM. Taste representation in the human insula. *Brain Structure and Function*. 2010;214(5):551-561.
47. Oppo V, Melis M, Melis M, et al. “Smelling and tasting” Parkinson’s disease: Using senses to improve the knowledge of the disease. *Frontiers in Aging Neuroscience*. 2020;12:43.
48. Zhu Q, Liu H, Wang J, et al. Taste impairment in patients with Parkinsonism. *Journal of Neurology*. 2025;272(3):238.
49. Ushkempirova D, Davis L, Chalmers A. Flavour perception in Alzheimer’s disease: A systematic review of olfactory and gustatory assessment methods. *The Journal of Aging Research & Lifestyle*. 2026;15:100044.
50. Di Stefano V, De Angelis MV, Montemitro C, et al. Clinical presentation of strokes confined to the insula: a systematic review of literature. *Neurological Sciences*. 2021;42(5):1697-1704.
51. Rademacher WMH, Aziz Y, Hielema A, et al. Oral adverse effects of drugs: Taste disorders. *Oral Diseases*. 2020;26(1):213-223.
52. Doty RL, Bromley SM. Effects of drugs on olfaction and taste. *Otolaryngologic Clinics of North America*. 2004;37(6):1229-1254.
53. Guimarães DDM, Parro YM, Muller HS, et al. Xerostomia and dysgeusia in the elderly: prevalence of and association with polypharmacy. *Brazilian Journal of Oral Sciences*. 2023;22:e236637.
54. Zhang H, Zhang Z, Liu L, et al. Oral health, smoking status, and oral manifestations of adult patients with SARS-CoV-2 during the Omicron outbreak in China: a cross-sectional study. *Scientific Reports*. 2025;15(1):38223.

55. Park D, Jain S, Quay-De La Vallee Z, et al. Influence of smoking history on the perception of radiation-induced dysgeusia/hypogeusia in patients with head and neck cancer. *European Archives of Oto-Rhino-Laryngology*. 2021;278(8):2993-3001.
56. Moore PA, Guggenheimer J, Etzel KR, et al. Type 1 diabetes mellitus, xerostomia, and salivary flow rates. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2001;92(3):281-291.
57. Henkin RI, Schechter PJ, Hoyer R, et al. Idiopathic hypogeusia with dysgeusia, hyposmia, and dysosmia: a new syndrome. *JAMA*. 1971;217(4):434-440.
58. Togni L, Mascitti M, Vignini A, et al. Treatment-Related Dysgeusia in Oral and Oropharyngeal Cancer: A Comprehensive Review. *Nutrients*. 2021;13(10):3325.
59. Pellegrini M, Merlo FD, Agnello E, et al. Dysgeusia in patients with breast cancer treated with chemotherapy—a narrative review. *Nutrients*. 2023;15(1):226.
60. Ponticelli E, Clari M, Frigerio S, et al. Dysgeusia and health-related quality of life of cancer patients receiving chemotherapy: A cross-sectional study. *European Journal of Cancer Care*. 2017;26(2):e12633.
61. Hovan AJ, Williams PM, Stevenson-Moore P, et al. A systematic review of dysgeusia induced by cancer therapies. *Supportive Care in Cancer*. 2010;18(8):1081-1087.
62. Irune E, Dwivedi RC, Nutting CM, et al. Treatment-related dysgeusia in head and neck cancer patients. *Cancer Treatment Reviews*. 2014;40(9):1106-1117.

CHAPTER 7

RADIOMICS IN ORAL AND MAXILLOFACIAL RADIOLOGY: CURRENT USES AND FUTURE PERSPECTIVES FOR QUANTITATIVE DENTAL IMAGING

Mediha ERTÜRK¹

1. RADIOMICS: FUNDAMENTAL CONCEPTS AND ANALYTICAL FRAMEWORK

Radiomics is an imaging-oriented branch of the wider omics concept, alongside disciplines such as genomics, proteomics, and metabolomics. It involves converting medical images into high-dimensional numerical data that can be processed and interpreted with mathematical and computational methods. Features related to pixel or voxel intensity, spatial arrangement, texture, morphology, and signal distribution can provide information beyond conventional visual interpretation. Thus, radiomics may support diagnosis, prognostic assessment, treatment planning, and more objective, data-driven clinical decision-making (1).

The development of radiomics reflects the progressive use of computers in radiological interpretation. Lodwick's coding system was one of the early attempts to express radiographic findings in a form suitable for electronic data processing, thereby facilitating computer-assisted image assessment (3). Subsequently, Haralick et al. introduced gray-level co-occurrence matrix-based texture analysis, which enabled mathematical evaluation of gray-level spatial patterns and became a key basis of quantitative image analysis (4). The term radiomics was later defined by Lambin et al. in 2012, while Aerts et al. showed that radiomic features combined with machine-learning techniques could characterize tumour phenotype, estimate prognosis, and explore associations between imaging and genomic data (5, 6).

¹ Research Assistant, Necmettin Erbakan University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, medihaerturk9@gmail.com, ORCID iD: 0000-0002-8530-9335

DOI: 10.37609/akya.4040.c16695

Another limitation is that many dental radiomics studies are retrospective, single-centre investigations with small samples and insufficient external validation. These factors increase overfitting risk and limit generalizability. To support clinical translation, future studies should use standardized imaging protocols, reproducible segmentation and feature-extraction workflows, multicentre validation, and interpretable models that offer clear added value for clinicians. Radiomics should therefore be viewed as a supportive tool for objective and personalized decision-making rather than as a substitute for clinical judgement (48).

4.9. The Future and Clinical Potential of Radiomics in Dentistry

Future progress in dental radiomics depends on whether high-performing models can be applied reliably across different patient groups, institutions, and imaging systems. Large multicentre studies are needed to evaluate data from panoramic radiography, periapical radiography, CBCT, and MRI using standardized protocols. Reducing device – and acquisition-related variability, confirming segmentation and feature reproducibility, and validating models in independent datasets are essential for improving clinical reliability (29).

Combining radiomic features with clinical information, histopathological findings, genetic data, and artificial intelligence-based analyses may lead to more comprehensive and personalized decision-support systems. Such integrated models may be useful for estimating prognosis and metastatic risk in oral malignancies, monitoring treatment response in endodontic and periodontal diseases, supporting osteoporosis screening, and contributing to forensic age estimation (29).

For radiomics to be adopted clinically, future models should be accurate, interpretable, and compatible with routine workflows. Explainable artificial intelligence may increase clinician confidence by clarifying which imaging features influence model decisions. In this context, radiomics is likely to develop as an objective decision-support approach that complements clinical evaluation and treatment planning rather than replacing them (29).

REFERENCES

1. Gillies RJ, Kinahan PE, Hricak HJR. Radiomics: images are more than pictures, they are data. 2016;278(2):563-77. doi:10.1148/radiol.2015151169
2. McCague C, Ramlee S, Reinius M, Selby I, Hulse D, Piyatissa P, et al. Introduction to radiomics for a clinical audience. 2023;78(2):83-98. doi:10.1016/j.crad.2022.08.149
3. Lodwick GS, Keats TE, Dorst JPJR. The coding of roentgen images for computer analysis as applied to lung cancer. 1963;81(2):185-200. doi:10.1148/81.2.185
4. Haralick RM., Shanmugam K., Dinstein IH. (1973). Textural features for image classification. IEEE Transactions on systems, man, and cybernetics, (6), 610-621.
5. Lambin P, Rios-Velazquez E, Leijenaar R, Carvalho S, Van Stiphout RG, Granton P, et al. Radiomics: extracting more information from medical images using advanced feature analysis. 2012;48(4):441-6. doi:10.1016/j.ejca.2011.11.036

6. Aerts HJ, Velazquez ER, Leijenaar RT, Parmar C, Grossmann P, Carvalho S, et al. Decoding tumour phenotype by noninvasive imaging using a quantitative radiomics approach. 2014;5(1):4006. doi:10.1038/ncomms5006
7. Lubner MG, Smith AD, Sandrasegaran K, Sahani DV, Pickhardt PJJR. CT texture analysis: definitions, applications, biologic correlates, and challenges. 2017;37(5):1483-503. doi:10.1148/rgr.2017170056
8. Koçak B, Durmaz EŞ, Ateş E, Kılıçkesmez ÖJD, radiology i. Radiomics with artificial intelligence: a practical guide for beginners. 2019;25(6):485. doi:10.5152/dir.2019.19321
9. Van Timmeren JE, Cester D, Tanadini-Lang S, Alkadhi H, Baessler BJlii. Radiomics in medical imaging—"how-to" guide and critical reflection. 2020;11(1):91. doi:10.1186/s13244-020-00887-2
10. Scapicchio C, Gabelloni M, Barucci A, Cioni D, Saba L, Neri EJLrm. A deep look into radiomics. 2021;126(10):1296-311. doi:10.1007/s11547-021-01389-x
11. Schneider CA, Rasband WS, Eliceiri KWJNm. NIH Image to ImageJ: 25 years of image analysis. 2012;9(7):671-5. doi:10.1038/nmeth.2089
12. McAuliffe MJ, Lalonde FM, McGarry D, Gandler W, Csaky K, Trus BL, editors. Medical image processing, analysis and visualization in clinical research. Proceedings 14th IEEE symposium on computer-based medical systems CBMS 2001; 2001: IEEE.
13. Nioche C, Orlhac F, Boughdad S, Reuzé S, Goya-Outi J, Robert C, et al. LIFEx: a freeware for radiomic feature calculation in multimodality imaging to accelerate advances in the characterization of tumor heterogeneity. 2018;78(16):4786-9. doi:10.1158/0008-5472.CAN-18-0125
14. Rizzo S, Botta F, Raimondi S, Origgi D, Fanciullo C, Morganti AG, et al. Radiomics: the facts and the challenges of image analysis. 2018;2(1):36. doi:10.1186/s41747-018-0068-z
15. Chawla NV, Bowyer KW, Hall LO, Kegelmeyer WPJJoair. SMOTE: synthetic minority over-sampling technique. 2002;16:321-57. doi: 10.1613/jair.953
16. Tibshirani R."Regression shrinkage and selection via the lasso." Journal of the Royal Statistical Society Series B: Statistical Methodology 58.1 (1996): 267-288.
17. Koo TK, Li MYJJoem. A guideline of selecting and reporting intraclass correlation coefficients for reliability research. 2016;15(2):155-63. doi: 10.1111/j.2517-6161.1996.tb02080.x
18. Hall EL, Kruger RP, Dwyer SJ, Hall DL, McLaren RW, Lodwick GS. A survey of preprocessing and feature extraction techniques for radiographic images. 1971;100(9):1032-44. doi:1971;100(9):1032-44.
19. Sutton RN, Hall EL. Texture measures for automatic classification of pulmonary disease. IEEE Transactions on Computers, 100(7), 667-676.
20. Di Giannatale A, Di Paolo PL, Curione D, Lenkowicz J, Napolitano A, Secinaro A, et al. Radiogenomics prediction for MYCN amplification in neuroblastoma: a hypothesis generating study. 2021;68(9):e29110. doi:10.1002/pbc.29110
21. Lasocki A, Buckland ME, Drummond KJ, Wei H, Xie J, Christie M, et al. Conventional MRI features can predict the molecular subtype of adult grade 2–3 intracranial diffuse gliomas. 2022;64(12):2295-305. doi:10.1007/s00234-022-02975-0
22. Prencipe B, Delprete C, Garolla E, Corallo F, Gravina M, Natalicchio MI, et al. An explainable radiogenomic framework to predict mutational status of KRAS and EGFR in lung adenocarcinoma patients. 2023;10(7):747. doi:10.3390/bioengineering10070747
23. Abdolali F, Zoroofi RA, Otake Y, Sato YJCM, biomedicine pi. Automated classification of maxillofacial cysts in cone beam CT images using contourlet transformation and Spherical Harmonics. 2017;139:197-207. doi:10.1016/j.cmpb.2016.10.024
24. Jiang ZY, Lan TJ, Cai WX, Tao Q. Primary clinical study of radiomics for diagnosing simple bone cyst of the jaw. 2021;50(7):20200384. doi:10.1259/dmfr.20200384
25. Vidiri A, Dolcetti V, Mazzola F, Lucchese S, Laganaro F, Piludu F, et al. MRI in Oral Tongue Squamous Cell Carcinoma: A Radiomic Approach in the Local Recurrence Evaluation. Current oncology (Toronto, Ont). 2025;32(2). doi:10.3390/currncol32020116

26. Lan T, Kuang S, Liang P, Ning C, Li Q, Wang L, et al. MRI-based deep learning and radiomics for prediction of occult cervical lymph node metastasis and prognosis in early-stage oral and oropharyngeal squamous cell carcinoma: a diagnostic study. *International journal of surgery*. (London,England).2024;110(8):4648-4659. doi:10.1097/JIS9.0000000000001578.
27. Jin N, Qiao B, Zhao M, Li L, Zhu L, Zang X, et al. Predicting cervical lymph node metastasis in OSCC based on computed tomography imaging genomics. *Cancer medicine*.2023;12(18):19260-71. doi:10.1002/cam4.6474
28. Shao S, Mao N, Liu W, Cui J, Xue X, Cheng J, et al. Epithelial salivary gland tumors: Utility of radiomics analysis based on diffusion-weighted imaging for differentiation of benign from malignant tumors. *Journal of X-ray science and technology*. 2020;28(4):799-808. doi:10.3233/XST-190632
29. Hung KF, Ai QYH, Wong LM, Yeung AWK, Li DTS, Leung YY. Current Applications of Deep Learning and Radiomics on CT and CBCT for Maxillofacial Diseases. 2023;13(1):110. doi:10.3390/diagnostics13010110
30. Okada K, Rysavy S, Flores A, Linguraru MGJMp. Noninvasive differential diagnosis of dental periapical lesions in cone-beam CT scans. 2015;42(4):1653-65. doi:10.1118/1.4914418
31. De Rosa CS, Bergamini ML, Palmieri M, de Santana Sarmiento DJ, de Carvalho MO, Ricardo ALF, et al. Differentiation of periapical granuloma from radicular cyst using cone beam computed tomography images texture analysis. 2020;6(10). doi:10.1016/j.heliyon.2020.e05194
32. Yilmaz E, Kayikcioglu T, Kayipmaz SJCM, biomedicine pi. Computer-aided diagnosis of periapical cyst and keratocystic odontogenic tumor on cone beam computed tomography. 2017;146:91-100. doi:10.1016/j.cmpb.2017.05.012
33. Lopes DLG, Lopes SLPdC, Ungaro DMdT, Gomes APM, Moura NBd, Gonçalves BC, et al. Radiomics-Driven CBCT Texture Analysis as a Novel Biosensor for Quantifying Periapical Bone Healing: A Comparative Study of Intracanal Medications. 2025;15(2):98. doi:10.3390/bios15020098
34. Hu Z, Wang X, Lan H. Multimodal Radiomics and Deep Learning Integration for Bone Health Assessment in Postmenopausal Women via Dental Radiographs: Development of an Interpretable Nomogram. 2025;35(6):e70239. doi: 10.1002/ima.70239
35. Nussi AD, de Castro Lopes SLP, De Rosa CS, Gomes JPP, Ogawa CM, Braz-Silva PH, et al. In vivo study of cone beam computed tomography texture analysis of mandibular condyle and its correlation with gender and age. 2023;39(1):191-7. doi:10.1007/s11282-022-00620-3
36. Li J, Jin F, Wang R, Shang X, Yang P, Zhu Y, et al. Guided Bone Regeneration in a Periodontally Compromised Individual with Autogenous Tooth Bone Graft: A Radiomics Analysis. *Journal of functional biomaterials*. 2023;14(4). doi:10.3390/jfb14040220
37. Karacaoglu F, Kolsuz ME, Bagis N, Evli C, Orhan KJPotIoME, Part H: *Journal of Engineering in Medicine*. Development and validation of intraoral periapical radiography-based machine learning model for periodontal defect diagnosis. 2023;237(5):607-18. doi:10.1177/09544119231162682
38. Jeon KJ, Kim YH, Choi H, Ha EG, Jeong H, Han SS. Radiomics approach to the condylar head for legal age classification using cone-beam computed tomography: A pilot study. *PloS one*. 2023;18(1):e0280523. doi:10.1371/journal.pone.0280523
39. Bianchi J, de Oliveira Ruellas AC, Goncalves JR, Paniagua B, Prieto JC, Styner M, et al. Osteoarthritis of the temporomandibular joint can be diagnosed earlier using biomarkers and machine learning. 2020;10(1):8012. doi:10.1038/s41598-020-64942-0
40. Bianchi J, Gonçalves JR, de Oliveira Ruellas AC, Ashman LM, Vimort J-B, Yatabe M, et al. Quantitative bone imaging biomarkers to diagnose temporomandibular joint osteoarthritis. 2021;50(2):227-35. doi:10.1016/j.ijom.2020.04.018
41. Konishi M, Nishi H, Kawaguchi H, Kakimoto NJOR. Radiomics-based classification of medication-related osteonecrosis of the jaw using panoramic radiographs. 2025;41(4):507-16. doi:10.1007/s11282-025-00826-1
42. Zhan D, Wang F, Zeng D, Hao L, Ye L, Qi Y, et al. Development of a Radiomic Model to Detect the Retromolar Canal on Panoramic Radiographs. 2025;37(193):383-93. doi:10.24976/Discov. Med.202537193.31

43. Costa A, de Souza Carreira B, Fardim K, Nussi A, da Silva Lima V, Miguel M, et al. Texture analysis of cone beam computed tomography images reveals dental implant stability. 2021;50(12):1609-16. doi:10.1016/j.ijom.2021.04.009
44. Ocak M, Çatak C, Aksoy S, Orhan K. A comparative analysis of YOLOv8 and nnU-Net v2 based pipelines for sex and age estimation from maxillary sinus morphometry on panoramic radiographs. International journal of legal medicine. 2026. doi:10.1007/s00414-026-03825-x
45. Nussi AD, de Castro Lopes SLP, De Rosa CS, Gomes JPP, Ogawa CM, Braz-Silva PH, et al. In vivo study of cone beam computed tomography texture analysis of mandibular condyle and its correlation with gender and age. Oral radiology. 2023;39(1):191-7. doi:10.1007/s11282-022-00620-3
46. Peng M, Yu B, Hu J, Xie X, He J. Radiomics-based classification of pediatric dental trauma in periapical radiographs: a preliminary study. BMC Medical Imaging. 2025;25(1):336. doi:10.1186/s12880-025-01877-w
47. Ito K, Kondo T, Andreu-Arasa VC, Li B, Hirahara N, Muraoka H, et al. Quantitative assessment of the maxillary sinusitis using computed tomography texture analysis: odontogenic vs non-odontogenic etiology. Oral radiology. 2022;38(3):315-24. doi:10.1007/s11282-021-00558-y
48. Traverso A, Wee L, Dekker A, Gillies R, et al. Repeatability and reproducibility of radiomic features: a systematic review. International Journal of Radiation Oncology Biology Physics. 2018;102(4), 1143-1158.

CHAPTER 8

ARTIFICIAL INTELLIGENCE-DRIVEN ANALYSIS OF INTRAORAL PHOTOGRAPHS IN ORAL AND MAXILLOFACIAL DIAGNOSIS

Batuhan ERDOĞAN¹
Sümeyye ÇELİK ÖZSOY²

1. INTRODUCTION

Artificial intelligence (AI), as a multidisciplinary field that enables computer systems to acquire learning, pattern recognition and decision making capabilities by mimicking human cognitive processes, plays a central role in the transformation of modern medicine and dentistry. In particular, the development of deep learning algorithms has made it possible to achieve results that approach, and in some tasks even surpass, human performance in the analysis of large-scale medical image data. One of the most powerful application areas of AI in healthcare is image based diagnostic systems, and these systems are increasingly being integrated into clinical decision support processes (1).

The success of AI in medical image analysis has gained momentum, particularly with the development of convolutional neural networks (CNNs). Thanks to their ability to automatically extract features from images, CNN architectures have eliminated the need for manual feature engineering and have led to significant increases in diagnostic accuracy. This approach has established a new paradigm in dentistry, as well as in image intensive fields such as dermatology, radiology and ophthalmology (2).

Although AI applications in dentistry initially focused on radiographic images, in recent years intraoral photographs, clinical photo documentation systems and mobile imaging technologies have also become an important part of this

¹ Research Assistant, Karamanoğlu Mehmetbey University, Ahmet Keleşoğlu Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, batuhanerdogan@kmu.edu.tr, ORCID iD: (0009-0005-6094-055X)

² Asst. Prof., Karamanoğlu Mehmetbey University, Ahmet Keleşoğlu Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, sumeyyecelik@kmu.edu.tr, ORCID iD: 0000-0002-3294-2524

In conclusion, AI assisted intraoral image analysis is a powerful technological tool that is reshaping diagnostic and decision support processes in modern dentistry. It is anticipated that the role of this technology in clinical practice will grow further with the development of approaches such as multimodal data integration, real time analysis systems and federated learning. However, to ensure this development is both safe and effective, it is essential to maintain a human centred, ethically grounded and scientifically validated approach.

REFERENCES

1. Esteva A, Kuprel B, Novoa RA, et al. Dermatologist level classification of skin cancer with deep neural networks. *Nature*. 2017;542(7639):115–18.
2. Litjens G, Kooi T, Bejnordi BE, et al. A survey on deep learning in medical image analysis. *Med Image Anal*. 2017;42:60–88.
3. LeCun Y, Bengio Y, Hinton G. Deep learning. *Nature*. 2015;521(7553):436–44.
4. Schmidhuber J. Deep learning in neural networks: An overview. *Neural Netw*. 2015;61:85–117.
5. Krizhevsky A, Sutskever I, Hinton GE. ImageNet classification with deep convolutional neural networks. *Commun ACM*. 2012;60(6):84–90.
6. Shortliffe EH, Sepúlveda MJ. Clinical decision support in the era of artificial intelligence. *JAMA*. 2018;320(21):2199–200.
7. Schwendicke F, Samek W, Krois J. Artificial intelligence in dentistry: Opportunities and challenges. *J Dent Res*. 2020;99(7):769–74.
8. Jiang F, Jiang Y, Zhi H, et al. Artificial intelligence in healthcare: Past, present and future. *Stroke Vasc Neurol*. 2017;2(4):230–43.
9. De Fauw J, et al. Clinically applicable deep learning for diagnosis and referral in retinal disease. *Nat Med*. 2018;24:1342–350.
10. Gulshan V, et al. Development and validation of a deep learning algorithm for the detection of diabetic retinopathy. *JAMA*. 2016;316(22):2402–410.
11. Ardila D, et al. End-to-end lung cancer screening with three-dimensional deep learning. *Nat Med*. 2019;25:954–61.
12. Wang X, et al. ChestX-ray8: Hospital-scale chest X-ray database. *CVPR*. 2017:3462–71.
13. Waring J, Lindvall C, Umeton R. Automated machine learning: Review of the state-of-the-art. *Artif Intell Med*. 2020;104:1018–22.
14. Kositbowornchai S, et al. Detection of dental caries using deep learning systems. *Imaging Science in Dentistry*. 2018;48(2):109–15.
15. Kühnisch J, et al. Caries detection by artificial intelligence: A systematic review. *Caries Research*. 2021;55(1):1–12.
16. Casalegno F, et al. Caries detection with near-infrared imaging and AI. *Journal of Dentistry*. 2019;89:103–10.
17. Krois J, et al. Deep learning for radiographic detection of periodontal bone loss. *Scientific Reports*. 2019;9:8495.
18. Kim DH, et al. Artificial intelligence in periodontal diagnosis: A systematic review. *Journal of Clinical Periodontology*. 2021;48(9):1181–92.
19. Tuncay OC. The Invisalign system. *Journal of the American Dental Association*. 2006;137(Suppl):25S–31S.
20. Gribel BF, Gribel MN, Frazao DC, McNamara JA. Automated cephalometric landmark detection and analysis. *American Journal of Orthodontics and Dentofacial Orthopaedics*. 2011;140(3):390–98.
21. Hennessy J, McLearie S, Keddie W, et al. Orthodontic imaging accuracy and variability. *European Journal of Orthodontics*. 2010;32(5):512–19.

22. Mendonça FAS, et al. Machine learning in oral pathology diagnosis. *Oral Oncology*. 2020;106:104694.
23. Glick M, et al. Artificial intelligence in dentistry: Current applications and future perspectives. *Journal of the American Dental Association*. 2020;151(10):781–90.
24. Warnakulasuriya S, Johnson NW, van der Waal I. Nomenclature and classification of potentially malignant disorders of the oral mucosa. *Journal of Oral Pathology & Medicine*. 2007;36(10):575–80.
25. Warin K, Suebnukarn S. Deep learning in oral cancer: a systematic review. *BMC Oral Health*. 2024;24:212.
26. Patil S, et al. Artificial intelligence in oral mucosal lesion classification: A systematic review. *Journal of Oral Pathology & Medicine*. 2022;51(5):432–40.
27. Van der Waal I. Potentially malignant disorders of the oral and oropharyngeal mucosa; terminology, classification and current concepts. *Oral Oncology*. 2009;45(4–5):317–23.
28. Sung H, Ferlay J, Siegel RL, et al. Global cancer statistics 2020. *CA: A Cancer Journal for Clinicians*. 2021;71(3):209–49.
29. Lingen MW, Kalmar JR, Karrison T, Speight PM. Critical evaluation of diagnostic aids for the detection of oral cancer. *Oral Oncology*. 2008;44(1):10–22.
30. Vairaktaris E, Yapijakis C, et al. Early diagnosis of oral squamous cell carcinoma. *Oral Oncology*. 2008;44(10):938–46.
31. Slot DE, Van der Weijden FA. Mechanical plaque removal: The basis of effective oral hygiene. *Journal of Clinical Periodontology*. 2015;42(S16):S48–S54.
32. Teles RP, Teles FRE. Antimicrobial agents used in the control of periodontal biofilms. *Journal of Clinical Periodontology*. 2009;36(S10):S144–S158.
33. Socransky SS, Haffajee AD. Dental biofilms: Difficult therapeutic targets. *Periodontology 2000*. 2002;28:12–55.
34. Estai M, et al. Teledentistry: A systematic review of clinical outcomes. *Journal of Telemedicine and Telecare*. 2018;24(3):143–52.
35. Golder DT, Brennan KA. Practising dentistry in the age of telemedicine. *British Dental Journal*. 2000;188(12):609–13.
36. Daniel SJ, Kumar S. Teledentistry: A key component in access to care. *Journal of Evidence-Based Dental Practice*. 2014;14(Suppl 1): 200–08.
37. Rajpurkar P, et al. CheXNet: Radiologist-level pneumonia detection. *arXiv*. 2018.
38. Allareddy V, Rampa S. Artificial intelligence in oral and maxillofacial radiology. *Oral Surg Oral Med Oral Pathol Oral Radiol*. 2021;131(3):235–43.
39. David J. Hand. *Measuring classifier performance: A coherent alternative to the area under the ROC curve*. *Machine Learning*. 2009;77(1), 103–23
40. Hwang JJ, et al. Deep learning-based detection of periodontal disease. *J Periodontol*. 2020;91(12):1617–25.
41. Tugan Mu, et al. Artificial intelligence in periodontology and implant dentistry: a systematic review. *Periodontology 2000*, 2022.
42. Hajian-Tilaki, K. Receiver Operating Characteristic (ROC) Curve Analysis for Medical Diagnostic Test Evaluation. *Caspian Journal of Internal Medicine*, 2013;4(2), 627–35
43. Salehinejad, H., Kitamura, J., Ditkofsky, N., Lin, A., Bharatha, A., Suthiphosuwana, S., Lin, H.-M., Wilson, J. R., Mamdani, M., & Colak, E. *A real-world demonstration of machine learning generalizability in the detection of intracranial hemorrhage on head computerized tomography*. *Scientific Reports*, 2021;11(1), 17051.
44. Tschandl P, et al. Human–computer collaboration for skin cancer recognition. *Nat Med*. 2019;25:1229–34.
45. Schwendicke F, Krois J. Artificial intelligence in dentistry: Core concepts and clinical applications. *J Dent Res*. 2022;101(7):723–31.
46. Beam AL, Kohane IS. Big data and machine learning in healthcare. *JAMA*. 2018;319(13):1317–18.

47. Yu KH, Beam AL, Kohane IS. Artificial intelligence in healthcare. *Nat Biomed Eng.* 2018;2(10):719–31.
48. Char DS, Shah NH, Magnus D. Implementing machine learning in healthcare. *N Engl J Med.* 2018;378(11):981–83.
49. Obermeyer Z, Emanuel EJ. Predicting the future of AI in medicine. *N Engl J Med.* 2016;375(13):1216–19.
50. Rieke N, et al. The future of digital health with federated learning. *Nat Mach Intell.* 2020;2:356–63.
51. Shen D, Wu G, Suk H-I. Deep learning in medical image analysis. *Annual Review of Biomedical Engineering*, 2017;19:221–48.

CHAPTER 9

RADIOGRAPHIC EVALUATION OF PERIAPICAL LESIONS: FROM CONVENTIONAL IMAGING TO ARTIFICIAL INTELLIGENCE

Fatmanur KETENCİ ÇAY¹

1. INTRODUCTION

Periapical diseases are predominantly inflammatory in nature, with more than 90% of cases categorized as apical granulomas, apical cysts, or abscesses. Once the dental pulp becomes infected, teeth serve as conduits for bacterial invasion into the surrounding supporting bone. Apical periodontitis is defined by infiltration of immune cells and subsequent bone resorption (1). On radiographic examination, apical periodontitis is identified by a periapical radiolucent area, which can present either as periodontal ligament space widening or as a distinct lesion (2).

Apical periodontitis is often discovered incidentally during imaging, including periapical radiographs, panoramic radiographs, and cone-beam computed tomography (CBCT) scans. CBCT enables the acquisition of high-resolution three-dimensional (3D) images, eliminating the distortion and anatomical superimposition inherent to conventional radiographic techniques (1). Multiple studies (1, 3-7) have assessed its diagnostic accuracy in comparison with panoramic, conventional, and digital periapical radiography. The evidence consistently indicates that CBCT demonstrates superior sensitivity in the detection of root canal morphology and periapical pathology relative to conventional periapical and panoramic imaging modalities. These findings indicate that CBCT enables more precise detection of periapical bone lesions, contributing to greater diagnostic accuracy, more effective treatment planning, and improved prognostic evaluation (1).

¹ Asst. Prof., Yeditepe University, Faculty of Dentistry, Department of Oral and Maxillofacial Surgery, fatmanur.ketenci@yeditepe.edu.tr, ORCID iD: 0000-0002-9618-1082

10. CONCLUSION

The radiographic evaluation of periapical lesions has progressed from conventional two-dimensional methods to sophisticated three-dimensional imaging and AI-assisted analysis (22, 24). Artificial intelligence adds a new layer of opportunity by improving detection, standardization, and workflow efficiency, but it should be considered an adjunct to clinical expertise rather than a substitute for it (58, 81).

Ultimately, accurate diagnosis depends on integrating imaging findings with current biologic knowledge and patient-specific clinical information (3). The most effective future model is not radiography versus AI, but radiography enhanced by responsible AI and guided by expert human judgment (61, 81).

REFERENCES

1. Orhan K, Bayrakdar I, Ezhov M, et al. Evaluation of artificial intelligence for detecting periapical pathosis on cone-beam computed tomography scans. *International Endodontic Journal*. 2020;53(5):680-689. <https://doi.org/10.1111/iej.13265>
2. Ketenci Çay F, Yeşil Ç, Çay O, et al. DeepLabv3+ method for detecting and segmenting apical lesions on panoramic radiography. *Clinical Oral Investigations*. 2025;29(2):101. <https://doi.org/10.1007/s00784-025-06156-0>
3. Tsai P, Torabinejad M, Rice D, et al. Accuracy of cone-beam computed tomography and periapical radiography in detecting small periapical lesions. *Journal of Endodontics*. 2012;38(7):965-970. <https://doi.org/10.1016/j.joen.2012.03.001>
4. Davies A, Mannocci F, Mitchell P, et al. The detection of periapical pathoses in root filled teeth using single and parallax periapical radiographs versus cone beam computed tomography—a clinical study. *International Endodontic Journal*. 2015;48(6):582-592. <https://doi.org/10.1111/iej.12352>
5. Pope O, Sathorn C, Parashos P. A comparative investigation of cone-beam computed tomography and periapical radiography in the diagnosis of a healthy periapex. *Journal of Endodontics*. 2014;40(3):360-365. <https://doi.org/10.1016/j.joen.2013.10.003>
6. Patel S, Wilson R, Dawood A, et al. The detection of periapical pathosis using digital periapical radiography and cone beam computed tomography—part 2: a 1-year post-treatment follow-up. *International Endodontic Journal*. 2012;45(8):711-723. <https://doi.org/10.1111/j.1365-2591.2012.02076.x>
7. Estrela C, Bueno MR, Leles CR, et al. Accuracy of cone beam computed tomography and panoramic and periapical radiography for detection of apical periodontitis. *Journal of Endodontics*. 2008;34(3):273-279. <https://doi.org/10.1016/j.joen.2007.11.023>
8. Siqueira Jr JF, Silva WO, Romeiro K, et al. Apical root canal microbiome associated with primary and posttreatment apical periodontitis: A systematic review. *International Endodontic Journal*. 2024;57(8):1043-1058. <https://doi.org/10.1111/iej.14071>
9. Kakehashi S, Stanley H, Fitzgerald R. The effects of surgical exposures of dental pulps in germ-free and conventional laboratory rats. *Oral Surgery, Oral Medicine, Oral Pathology*. 1965;20(3):340-349. [https://doi.org/10.1016/0030-4220\(65\)90166-0](https://doi.org/10.1016/0030-4220(65)90166-0)
10. Stashenko P, Yu SM, Wang C-Y. Kinetics of immune cell and bone resorptive responses to endodontic infections. *Journal of Endodontics*. 1992;18(9):422-426. [https://doi.org/10.1016/S0099-2399\(06\)80841-1](https://doi.org/10.1016/S0099-2399(06)80841-1)
11. Bender I, Seltzer S. Roentgenographic and direct observation of experimental lesions in bone: I. *The Journal of the American Dental Association*. 1961;62(2):152-160. <https://doi.org/10.14219/>

jada.archive.1961.0030

12. Bender I. Factors influencing the radiographic appearance of bony lesions. *Journal of Endodontics*. 1982;8(4):161-170. [https://doi.org/10.1016/S0099-2399\(82\)80212-4](https://doi.org/10.1016/S0099-2399(82)80212-4)
13. Ekert T, Krois J, Meinhold L, et al. Deep learning for the radiographic detection of apical lesions. *Journal of Endodontics*. 2019;45(7):917-922. e5. <https://doi.org/10.1016/j.joen.2019.03.016>.
14. Ezhov M, Gusarev M, Golitsyna M, et al. Clinically applicable artificial intelligence system for dental diagnosis with CBCT. *Scientific Reports*. 2021;11(1):15006. <https://doi.org/10.1038/s41598-021-94093-9>
15. Banomyong D, Arayasantiparb R, Sirakulwat K, et al. Association between clinical/radiographic characteristics and histopathological diagnoses of periapical granuloma and cyst. *European Journal of Dentistry*. 2023;17(04):1241-1247. <https://doi.org/10.1055/s-0042-1759489>
16. Rosenberg PA, Frisbie J, Lee J, et al. Evaluation of pathologists (histopathology) and radiologists (cone beam computed tomography) differentiating radicular cysts from granulomas. *Journal of Endodontics*. 2010;36(3):423-428. <https://doi.org/10.1016/j.joen.2009.11.005>
17. Modi K, Padmapriya R, Elango S, et al. Nonmalignant nonendodontic lesions mimicking periapical lesions of endodontic origin: A systematic review. *Journal of Conservative Dentistry and Endodontics*. 2022;25(3):214-225. https://doi.org/10.4103/jcd.jcd_13_22
18. Patel S, Dawood A, Mannocci F, et al. Detection of periapical bone defects in human jaws using cone beam computed tomography and intraoral radiography. *International Endodontic Journal*. 2009;42(6):507-515. <https://doi.org/10.1111/j.1365-2591.2008.01538.x>
19. Forsberg J, Halse A. Radiographic simulation of a periapical lesion comparing the paralleling and the bisecting-angle techniques. *International Endodontic Journal*. 1994;27(3):133-138. <https://doi.org/10.1111/j.1365-2591.1994.tb00242.x>
20. Paurazas SB, Geist JR, Pink FE, et al. Comparison of diagnostic accuracy of digital imaging by using CCD and CMOS-APS sensors with E-speed film in the detection of periapical bony lesions. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2000;89(3):356-362. [https://doi.org/10.1016/S1079-2104\(00\)70102-8](https://doi.org/10.1016/S1079-2104(00)70102-8)
21. Goldman M, Pearson AH, Darzenta N. Endodontic success—who's reading the radiograph? *Oral Surgery, Oral Medicine, Oral Pathology*. 1972;33(3):432-437. [https://doi.org/10.1016/0030-4220\(72\)90473-2](https://doi.org/10.1016/0030-4220(72)90473-2)
22. Patel S, Brown J, Semper M, et al. European Society of Endodontology position statement: Use of cone beam computed tomography in Endodontics: European Society of Endodontology (ESE) developed by. *International Endodontic Journal*. 2019;52(12):1675-1678. <https://doi.org/10.1111/iej.13187>
23. European Society of Endodontology. Quality guidelines for endodontic treatment: consensus report of the European Society of Endodontology. *International Endodontic Journal*. 2006;39(12):921-930. <https://doi.org/10.1111/j.1365-2591.2006.01180.x>
24. Lo Giudice R, Nicita F, Puleio F, et al. Accuracy of periapical radiography and CBCT in endodontic evaluation. *International Journal of Dentistry*. 2018;2018(1):2514243. <https://doi.org/10.1155/2018/2514243>
25. Farman AG, Farman TT. A comparison of 18 different x-ray detectors currently used in dentistry. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2005;99(4):485-489. <https://doi.org/10.1016/j.tripleo.2004.04.002>
26. Strindberg LZ. The dependence of the results of pulp therapy on certain factors: an analytic study based on radiographic and clinical follow-up examination. *Acta Odontologica Scandinavica*. 1956.
27. Dutra KL, Haas L, Porporatti AL, et al. Diagnostic accuracy of cone-beam computed tomography and conventional radiography on apical periodontitis: a systematic review and meta-analysis. *Journal of Endodontics*. 2016;42(3):356-64. <https://doi.org/10.1016/j.joen.2015.12.015>
28. White SC, Pharoah MJ. *Oral radiology Principles and interpretation*. 7th ed. Elsevier Health Sciences; 2014.

29. Kanagasingam S, Hussaini H, Soo I, et al. Accuracy of single and parallax film and digital periapical radiographs in diagnosing apical periodontitis—a cadaver study. *International Endodontic Journal*. 2017;50(5):427-436. <https://doi.org/10.1111/iej.12651>
30. Nardi C, Calistri L, Pradella S, et al. Accuracy of orthopantomography for apical periodontitis without endodontic treatment. *Journal of Endodontics*. 2017;43(10):1640-1646. <https://doi.org/10.1016/j.joen.2017.06.020>
31. Nardi C, Calistri L, Grazzini G, et al. Is panoramic radiography an accurate imaging technique for the detection of endodontically treated asymptomatic apical periodontitis? *Journal of Endodontics*. 2018;44(10):1500-1508. <https://doi.org/10.1016/j.joen.2018.07.003>
32. Huuonen S, Ørstavik D. Radiological aspects of apical periodontitis. *Endodontic Topics*. 2002;1(1):3-25. <https://doi.org/10.1034/j.1601-1546.2002.10102.x>
33. Patel S. New dimensions in endodontic imaging: Part 2. Cone beam computed tomography. *International Endodontic Journal*. 2009;42(6):463-475. <https://doi.org/10.1111/j.1365-2591.2008.01531.x>
34. Ørstavik D, Kerekes K, Eriksen HM. The periapical index: a scoring system for radiographic assessment of apical periodontitis. *Dental Traumatology*. 1986;2(1):20-34. <https://doi.org/10.1111/j.1600-9657.1986.tb00119.x>
35. Lee SJ, Messer H. Radiographic appearance of artificially prepared periapical lesions confined to cancellous bone. *International Endodontic Journal*. 1986;19(2):64-72. <https://doi.org/10.1111/j.1365-2591.1986.tb00894.x>
36. Parker JM, Mol A, Rivera EM, et al. Cone-beam computed tomography uses in clinical endodontics: observer variability in detecting periapical lesions. *Journal of Endodontics*. 2017;43(2):184-7. <https://doi.org/10.1016/j.joen.2016.10.007>
37. Lofthag-Hansen S, Huuonen S, Gröndahl K, et al. Limited cone-beam CT and intraoral radiography for the diagnosis of periapical pathology. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2007;103(1):114-119. <https://doi.org/10.1016/j.tripleo.2006.01.001>
38. Abella F, Patel S, Duran-Sindreu F, et al. Evaluating the periapical status of teeth with irreversible pulpitis by using cone-beam computed tomography scanning and periapical radiographs. *Journal of Endodontics*. 2012;38(12):1588-1591. <https://doi.org/10.1016/j.joen.2012.09.003>
39. Scarfe WC, Farman AG. What is cone-beam CT and how does it work? *Dental Clinics of North America*. 2008;52:707-730. <https://doi.org/10.1016/j.cden.2008.05.005>
40. Velvart P, Hecker H, Tillinger G. Detection of the apical lesion and the mandibular canal in conventional radiography and computed tomography. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2001;92(6):682-688. <https://doi.org/10.1067/moe.2001.118904>
41. Durack C, Patel S, Davies J, et al. Diagnostic accuracy of small volume cone beam computed tomography and intraoral periapical radiography for the detection of simulated external inflammatory root resorption. *International Endodontic Journal*. 2011;44(2):136-147. <https://doi.org/10.1111/j.1365-2591.2010.01819.x>
42. Blattner TC, George N, Lee CC, et al. Efficacy of cone-beam computed tomography as a modality to accurately identify the presence of second mesiobuccal canals in maxillary first and second molars: a pilot study. *Journal of Endodontics*. 2010;36(5):867-870. <https://doi.org/10.1016/j.joen.2009.12.023>
43. Bornstein MM, Lauber R, Sendi P, et al. Comparison of periapical radiography and limited cone-beam computed tomography in mandibular molars for analysis of anatomical landmarks before apical surgery. *Journal of Endodontics*. 2011;37(2):151-157. <https://doi.org/10.1016/j.joen.2010.11.014>
44. Kruse C, Spin-Neto R, Evar Kraft D, et al. Diagnostic accuracy of cone beam computed tomography used for assessment of apical periodontitis: an ex vivo histopathological study on human cadavers. *International Endodontic Journal*. 2019;52(4):439-450. <https://doi.org/10.1111/iej.13020>

45. Estrela C, Bueno MR, Azevedo BC, et al. A new periapical index based on cone beam computed tomography. *Journal of Endodontics*. 2008;34(11):1325-1331. <https://doi.org/10.1016/j.joen.2008.08.013>
46. Aggarwal V, Singla M. Use of computed tomography scans and ultrasound in differential diagnosis and evaluation of nonsurgical management of periapical lesions. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2010;109(6):917-923. <https://doi.org/10.1016/j.tripleo.2009.12.055>
47. Juerchott A, Pfeifferle T, Flechtenmacher C, et al. Differentiation of periapical granulomas and cysts by using dental MRI: a pilot study. *International Journal of Oral Science*. 2018;10(2):17. <https://doi.org/10.1038/s41368-018-0017-y>
48. Cotti E, Campisi G, Garau V, et al. A new technique for the study of periapical bone lesions: ultrasound real time imaging. *International Endodontic Journal*. 2002;35(2):148-152. <https://doi.org/10.1046/j.1365-2591.2002.00458.x>
49. Hilmi A, Patel S, Mirza K, et al. Efficacy of imaging techniques for the diagnosis of apical periodontitis: A systematic review. *International Endodontic Journal*. 2023;56:326-339. <https://doi.org/10.1111/iej.13921>
50. Rechenberg D, Munir A, Zehnder M. Correlation between the clinically diagnosed inflammatory process and periapical index scores in severely painful endodontically involved teeth. *International Endodontic Journal*. 2021;54(2):172-180. <https://doi.org/10.1111/iej.13407>
51. Chau K-K, Zhu M, AlHadidi A, et al. A novel AI model for detecting periapical lesion on CBCT: CBCT-SAM. *Journal of Dentistry*. 2025;153:105526. <https://doi.org/10.1016/j.jdent.2024.105526>
52. Levy DH, Dinur N, Becker T, et al. Use of cone-beam computed tomography as a critical component in the diagnosis of an infected nasopalatine duct cyst mimicking chronic apical abscess: a case report. *Journal of Endodontics*. 2021;47(7):1177-1181. <https://doi.org/10.1016/j.joen.2021.04.018>
53. Brody A, Zalatnai A, Csomo K, et al. Difficulties in the diagnosis of periapical translucencies and in the classification of cemento-osseous dysplasia. *BMC Oral Health*. 2019;19(1):139. <https://doi.org/10.1186/s12903-019-0843-0>
54. Liao W-C, Chen C-H, Pan Y-H, et al. Vertical root fracture in non-endodontically and endodontically treated teeth: current understanding and future challenge. *Journal of Personalized Medicine*. 2021;11(12):1375. <https://doi.org/10.3390/jpm11121375>
55. Natanasabapathy V, Arul B, Mishra A, et al. Ultrasound imaging for the differential diagnosis of periapical lesions of endodontic origin in comparison with histopathology—a systematic review and meta-analysis. *International Endodontic Journal*. 2021;54(5):693-711. <https://doi.org/10.1111/iej.13465>
56. Pontes FSC, Fonseca FP, de Jesus AS, et al. Nonendodontic lesions misdiagnosed as apical periodontitis lesions: series of case reports and review of literature. *Journal of Endodontics*. 2014;40(1):16-27. <https://doi.org/10.1016/j.joen.2013.08.021>
57. Patel S, Durack C, Abella F, et al. Cone beam computed tomography in endodontics—a review. *International Endodontic Journal*. 2015;48(1):3-15. <https://doi.org/10.1111/iej.12270>
58. Fu W, Zhu Q, Li N, et al. Clinically oriented CBCT periapical lesion evaluation via 3D CNN algorithm. *Journal of Dental Research*. 2024;103(1):5-12. <https://doi.org/10.1177/00220345231201793>
59. Fernández R, Cadavid D, Zapata SM, et al. Impact of three radiographic methods in the outcome of nonsurgical endodontic treatment: a five-year follow-up. *Journal of Endodontics*. 2013;39(9):1097-1103. <https://doi.org/10.1016/j.joen.2013.04.002>
60. Schwendicke Fa, Samek W, Krois J. Artificial intelligence in dentistry: chances and challenges. *Journal of Dental Research*. 2020;99(7):769-774. <https://doi.org/10.1177/0022034520915714>
61. Hung K, Yeung AWK, Tanaka R, et al. Current applications, opportunities, and limitations of AI for 3D imaging in dental research and practice. *International Journal of Environmental Research and Public Health*. 2020;17(12):4424. <https://doi.org/10.3390/ijerph17124424>

62. Krizhevsky A, Sutskever I, Hinton GE. Imagenet classification with deep convolutional neural networks. *Advances in neural information processing systems*. 2012;25. <https://doi.org/10.1145/3065386>
63. Aloufi AS. Detection of Periapical Lesions Using Artificial Intelligence: A Narrative Review. *Diagnostics*. 2026;16(2):301. <https://doi.org/10.3390/diagnostics16020301>
64. Khanagar SB, Alfadley A, Alfouzan K, et al. Developments and performance of artificial intelligence models designed for application in endodontics: a systematic review. *Diagnostics*. 2023;13(3):414. <https://doi.org/10.3390/diagnostics13030414>
65. Setzer F, Li J, Khan A. The use of artificial intelligence in endodontics. *Journal of Dental Research*. 2024;103(9):853-62. <https://doi.org/10.1177/00220345241255593>
66. Boubaris M, Cameron A, Manakil J, et al. Artificial intelligence vs. semi-automated segmentation for assessment of dental periapical lesion volume index score: a cone-beam CT study. *Computers in Biology and Medicine*. 2024;175:108527. <https://doi.org/10.1016/j.compbiomed.2024.108527>
67. Klein V, Büttner M, Göstemeyer G, et al. From inconsistent annotations to ground truth: Aggregation strategies for annotations of proximal carious lesions in dental imagery. *Journal of Dentistry*. 2025;157:105728. <https://doi.org/10.1016/j.jdent.2025.105728>
68. Allilhaibi M, Koller G, Mannocci F. Diagnostic accuracy of a commercial AI-based platform in evaluating endodontic treatment outcomes on periapical radiographs using CBCT as the reference standard. *Journal of Endodontics*. 2025;51(7):898-908. e8. <https://doi.org/10.1016/j.joen.2025.03.007>
69. Sadr S, Mohammad-Rahimi H, Motamedian SR, et al. Deep learning for detection of periapical radiolucent lesions: a systematic review and meta-analysis of diagnostic test accuracy. *Journal of Endodontics*. 2023;49(3):248-261. e3. <https://doi.org/10.1016/j.joen.2022.12.007>
70. Campo L, Aliaga IJ, De Paz JF, et al. Retreatment predictions in odontology by means of CBR systems. *Computational intelligence and neuroscience*. 2016;2016(1):7485250. <https://doi.org/10.1155/2016/7485250>
71. Liu J, Jin C, Wang X, et al. A comparative analysis of deep learning models for assisting in the diagnosis of periapical lesions in periapical radiographs. *BMC Oral Health*. 2025;25(1):801. <https://doi.org/10.1186/s12903-025-06104-0>
72. Hamdan MH, Tuzova L, Mol A, et al. The effect of a deep-learning tool on dentists' performances in detecting apical radiolucencies on periapical radiographs. *Dentomaxillofacial Radiology*. 2022;51(7):20220122. <https://doi.org/10.1259/dmfr.20220122>
73. Mohammad-Rahimi H, Sohrabniya F, Ourang SA, et al. Artificial intelligence in endodontics: data preparation, clinical applications, ethical considerations, limitations, and future directions. *International Endodontic Journal*. 2024;57(11):1566-1595. <https://doi.org/10.1111/iej.14128>
74. Hamdan M, Yu KW, Miller M, et al. Evaluation of a no-code AI model for detecting periapical radiolucencies: impact of anatomical region on diagnostic performance. *BMC Oral Health*. 2026;26(1):52. <https://doi.org/10.1186/s12903-025-07529-3>
75. Whiting PF, Rutjes AW, Westwood ME, et al. QUADAS-2: a revised tool for the quality assessment of diagnostic accuracy studies. *Annals of Internal Medicine*. 2011;155(8):529-536. <https://doi.org/10.7326/0003-4819-155-8-201110180-00009>
76. Pul U, Tichy A, Pitchika V, et al. Impact of artificial intelligence assistance on diagnosing periapical radiolucencies: A randomized controlled trial. *Journal of Dentistry*. 2025;160:105868. <https://doi.org/10.1016/j.jdent.2025.105868>
77. Çelik B, Savaştaer EF, Kaya HI, et al. The role of deep learning for periapical lesion detection on panoramic radiographs. *Dentomaxillofacial Radiology*. 2023;52(8):20230118. <https://doi.org/10.1259/dmfr.20230118>
78. Ramezanzade S, Laurentiu T, Bakhshandah A, et al. The efficiency of artificial intelligence methods for finding radiographic features in different endodontic treatments-a systematic review. *Acta Odontologica Scandinavica*. 2023;81(6):422-435. <https://doi.org/10.1080/00016357.2022.2158929>

79. Krois J, Garcia Cantu A, Chaurasia A, et al. Generalizability of deep learning models for dental image analysis. *Scientific Reports*. 2021;11(1):6102. <https://doi.org/10.1038/s41598-021-85454-5>
80. Selvaraju RR, Cogswell M, Das A, et al. Grad-cam: Visual explanations from deep networks via gradient-based localization. *Proceedings of the IEEE international conference on computer vision*; 2017. <https://doi.org/10.1007/s11263-019-01228-7>
81. Setzer FC, Shi KJ, Zheng Z, et al. Artificial intelligence for the computer-aided detection of periapical lesions in cone-beam computed tomographic images. *Journal of endodontics*. 2020;46(7):987-993. <https://doi.org/10.1016/j.joen.2020.03.025>
82. Fryback DG, Thornbury JR. The efficacy of diagnostic imaging. *Medical Decision Making*. 1991;11(2):88-94. <https://doi.org/10.1177/0272989X9101100203>
83. Cotti E, Schirru E. Present status and future directions: Imaging techniques for the detection of periapical lesions. *International Endodontic Journal*. 2022;55:1085-1099. <https://doi.org/10.1111/iej.13828>
84. Mongan J, Moy L, Kahn Jr CE. Checklist for artificial intelligence in medical imaging (CLAIM): a guide for authors and reviewers. *Radiological Society of North America*; 2020. p. e200029. <https://doi.org/10.1148/ryai.2020200029>
85. Sounderajah V, Ashrafian H, Golub RM, et al. Developing a reporting guideline for artificial intelligence-centred diagnostic test accuracy studies: the STARD-AI protocol. *BMJ Open*. 2021;11(6):e047709. <https://doi.org/10.1136/bmjopen-2020-047709>
86. Endres MG, Hillen F, Salloumis M, et al. Development of a deep learning algorithm for periapical disease detection in dental radiographs. *Diagnostics*. 2020;10(6):430. <https://doi.org/10.3390/diagnostics10060430>

CHAPTER 10

PARANASAL SINUS APLASIA: DEVELOPMENTAL ANATOMY, RADIOLOGIC FEATURES, AND ASSOCIATED CONDITIONS

Umut ZENGİN¹
Sedef Ayşe TAŞYAPAN²

1. INTRODUCTION

Paranasal sinuses are four paired, air-filled cavities located within the bones of the skull surrounding the nasal cavity. They include the maxillary, ethmoid, frontal, and sphenoid sinuses (1,2).

The paranasal sinuses are considered to have several functional roles. These include contributing to facial growth, reducing the weight of the skull, acting as shock-absorbing spaces, and providing protection and thermal insulation for adjacent intracranial structures. They also assist in the conditioning and distribution of inspired air, contribute to voice resonance, increase the surface area of the olfactory mucosa, and participate in the production of nitric oxide (1-3).

Paranasal sinus aplasia and agenesis are terms that have frequently been used interchangeably in the literature to describe the complete absence or failure of pneumatization of one or more sinuses. By contrast, hypoplasia refers to reduced sinus volume or incomplete pneumatization. Because imaging-based distinction between aplasia and agenesis is not always consistent, the terminology should be used cautiously and, when possible, supported by a descriptive statement about the degree of pneumatization (1, 4-6).

¹ PhD Student, Istanbul University, Institute of Graduate Studies in Health Sciences, Department of Oral and Maxillofacial Radiology, umutzengin201@gmail.com, ORCID iD: 0009-0004-1703-1900

² DDS, PhD, Istanbul University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, sedefayseuyanik@gmail.com, ORCID iD: 0000-0002-1880-9276

REFERENCES

1. Çakır Karabaş H, Duman Tepe R, Göksel S, et al. Paranasal sinus agenesis in patients with craniofacial anomalies and/or syndromes: a retrospective study of CBCT images. *Selcuk Dental Journal*. 2025;12(2):214–219. doi:10.15311/selcukdentj.1572537
2. Goldman-Yassen AE, Meda K, Kadom N. Paranasal sinus development and implications for imaging. *Pediatric Radiology*. 2021;51(7):1134–1148. doi:10.1007/s00247-020-04859-y
3. Korkmaz H, Korkmaz M. Total aplasia of the paranasal sinuses. *Allergy & Rhinology*. 2013;4(2):e105–e109. doi:10.2500/ar.2013.4.0056
4. Çakur B, Sumbullu MA, Durna NB. Aplasia and agenesis of the frontal sinus in Turkish individuals: a retrospective study using dental volumetric tomography. *International Journal of Medical Sciences*. 2011;8(3):278–282. doi:10.7150/ijms.8.278
5. Haktanir A, Acar M, Yucel A, et al. Combined sphenoid and frontal sinus aplasia accompanied by bilateral maxillary and ethmoid sinus hypoplasia. *British Journal of Radiology*. 2005;78(935):1053–1056. doi:10.1259/bjr/38163950
6. Celebi S, Taskin U, Altin F, et al. Bilateral aplasia of paranasal sinuses. *European Archives of Oto-Rhino-Laryngology*. 2012;269:1055–1057. doi:10.1007/s00405-011-1871-9
7. Shah RK, Dhingra JK, Carter BL, et al. Paranasal sinus development: a radiographic study. *Laryngoscope*. 2003;113(2):205–209. doi:10.1097/00005537-200302000-00002
8. Iwanaga J, Wilson C, Lachkar S, et al. Clinical anatomy of the maxillary sinus: application to sinus floor augmentation. *Anatomy & Cell Biology*. 2019;52(1):17–24. doi:10.5115/acb.2019.52.1.17
9. Chanavaz M. Maxillary sinus: anatomy, physiology, surgery, and bone grafting related to implantology — eleven years of surgical experience (1979–1990). *Journal of Oral Implantology*. 1990;16(3):199–209.
10. Prasanna LC, Mamatha H. The location of maxillary sinus ostium and its clinical application. *Indian Journal of Otolaryngology and Head & Neck Surgery*. 2010;62(4):335–337. doi:10.1007/s12070-010-0047-z
11. Nunez-Castruita A, Lopez-Serna N, Guzman-Lopez S. Prenatal development of the maxillary sinus: a perspective for paranasal sinus surgery. *Otolaryngology–Head and Neck Surgery*. 2012;146(6):997–1003. doi:10.1177/0194599811435883
12. Lawson W, Patel ZM, Lin FY. The development and pathologic processes that influence maxillary sinus pneumatization. *Anatomical Record*. 2008;291(11):1554–1563. doi:10.1002/ar.20774
13. Lang J. *Clinical anatomy of the nose, nasal cavity, and paranasal sinuses*. Stuttgart: Thieme Medical Publishers; 1989.
14. Kuntzler S, Jankowski R. Arrested pneumatization: witness of paranasal sinuses development? *European Annals of Otorhinolaryngology, Head and Neck Diseases*. 2014;131(3):167–170. doi:10.1016/j.anorl.2013.01.008
15. American Academy of Pediatrics, Subcommittee on Management of Sinusitis, Committee on Quality Improvement. Clinical practice guideline: management of sinusitis. *Pediatrics*. 2001;108(3):798–808. doi:10.1542/peds.108.3.798
16. Marquez S, Tessema B, Clement PA, et al. Development of the ethmoid sinus and extramural migration: the anatomical basis of this paranasal sinus. *Anatomical Record*. 2008;291(11):1535–1553. doi:10.1002/ar.20775
17. Anusha B, Baharudin A, Philip R, et al. Anatomical variations of the sphenoid sinus and its adjacent structures: a review of existing literature. *Surgical and Radiologic Anatomy*. 2014;36(5):419–427. doi:10.1007/s00276-013-1214-1
18. Sethi DS, Stanley RE, Pillay PK. Endoscopic anatomy of the sphenoid sinus and Sella turcica. *Journal of Laryngology & Otology*. 1995;109(10):951–955. doi:10.1017/S0022215100131743
19. Aoki S, Dillon WP, Barkovich AJ, et al. Marrow conversion before pneumatization of the sphenoid sinus: assessment with MR imaging. *Radiology*. 1989;172(2):373–375. doi:10.1148/radiology.172.2.2748818
20. Scuderi AJ, Harnsberger HR, Boyer RS. Pneumatization of the paranasal sinuses: normal features of importance to the accurate interpretation of CT scans and MR images. *American Journal of Roentgenology*. 1993;160(5):1101–1104. doi:10.2214/AJR.160.5.8470585

21. Welker KM, DeLone DR, Lane JI, et al. Arrested pneumatization of the skull base: imaging characteristics. *American Journal of Roentgenology*. 2008;190(6):1691–1696. doi:10.2214/AJR.07.3131
22. Hamid O, El Fiky L, Hassan O, et al. Anatomic variations of the sphenoid sinus and their impact on trans-sphenoid pituitary surgery. *Skull Base*. 2008;18(1):9–15. doi:10.1055/s-2007-992764
23. Ozer CM, Atalar K, Oz II, et al. Sphenoid sinus in relation to age, gender, and cephalometric indices. *Journal of Craniofacial Surgery*. 2018;29(8):2319–2326. doi:10.1097/SCS.00000000000004869
24. Huang BY, Lloyd KM, DelGaudio JM, et al. Failed endoscopic sinus surgery: spectrum of CT findings in the frontal recess. *Radiographics*. 2009;29(1):177–195. doi:10.1148/rg.291085118
25. Moore K, Ross A. Frontal sinus development and juvenile age estimation. *Anatomical Record*. 2017;300(9):1609–1617. doi:10.1002/ar.23614
26. Villarreal R, Wrobel BB, Macias-Valle L, et al. International assessment of inter – and intrarater reliability of the International Frontal Sinus Anatomy Classification System. *International Forum of Allergy & Rhinology*. 2019;9(1):39–45. doi:10.1002/alr.22200
27. Park IH, Song JS, Choi H, et al. Volumetric study in the development of paranasal sinuses by CT imaging in Asian: a pilot study. *International Journal of Pediatric Otorhinolaryngology*. 2010;74(12):1347–1350. doi:10.1016/j.ijporl.2010.08.018
28. Tabor Z, Karpisz D, Wojnar L, et al. An automatic recognition of the frontal sinus in X-ray images of skull. *IEEE Transactions on Biomedical Engineering*. 2009;56(2):361–368. doi:10.1109/TBME.2008.2003090
29. Silva RF, Stefanel MER, Macedo FTDA, et al. Prevalence of frontal sinus agenesis in maxillofacial imaging and its forensic relevance: systematic review and meta-analysis. *Journal of Forensic and Legal Medicine*. 2026;118:103095. doi:10.1016/j.jflm.2026.103095
30. Aydinlioglu A, Kavakli A, Erdem S. Absence of frontal sinus in Turkish individuals. *Yonsei Medical Journal*. 2003;44(2):215–218. doi:10.3349/ymj.2003.44.2.215
31. Ozgursoy OB, Comert A, Yorulmaz I, et al. Hidden unilateral agenesis of the frontal sinus: human cadaver study of a potential surgical pitfall. *American Journal of Otolaryngology*. 2010;31(4):231–234. doi:10.1016/j.amjoto.2009.02.010
32. Gotlib T, Kuźmińska M, Held-Ziółkowska M, et al. Hidden unilateral aplasia of the frontal sinus: a radioanatomic study. *International Forum of Allergy & Rhinology*. 2015;5(5):441–444. doi:10.1002/alr.21452
33. Anik I, Anik Y, Koc K, et al. Agenesis of sphenoid sinuses. *Clinical Anatomy*. 2005;18(3):217–219. doi:10.1002/ca.20096
34. Çakur B, Sümbüllü MA, Yılmaz AB. A retrospective analysis of sphenoid sinus hypoplasia and agenesis using dental volumetric CT in Turkish individuals. *Diagnostic and Interventional Radiology*. 2011;17(3):205–208. doi:10.4261/1305-3825.DIR.3304-10.1
35. Shinde OV, Mishra SS, Jathar OP, et al. Sphenoid sinus aplasia: a case report and review of literature. *ENT Updates*. 2024;14(3):57–60. doi:10.54963/entu.v14i3.885
36. Çakır Karabaş H, Göksel S, Özcan İ. Sfenoid sinüs agenezisi ve hipoplazisinin konik ışınli bilgisayarlı tomografi ile tespiti: retrospektif bir çalışma. *Kocaeli Üniversitesi Sağlık Bilimleri Dergisi*. 2021;7(2):198–202. doi:10.30934/kusbed.893383
37. Baylanççek S, Yıldız ME, Üstündağ ME. Sphenoid sinus agenesis. *Kulak Burun Boğaz İhtisas Dergisi*. 2014;24(6):354–356. doi:10.5606/kbbihtisas.2014.56255
38. Clerico DM, Grabo DJ Jr. Maxillary sinus aplasia. *Annals of Otology, Rhinology & Laryngology*. 1997;106(9):799–800. doi:10.1177/000348949710600918
39. Chrcanovic BR, Freire-Maia B. Maxillary sinus aplasia. *Oral and Maxillofacial Surgery*. 2010;14(3):187–191. doi:10.1007/s10006-009-0200-6
40. Tasar M, Cankal F, Bozlar U, et al. Bilateral maxillary sinus hypoplasia and aplasia: radiological and clinical findings. *Dentomaxillofacial Radiology*. 2007;36(7):412–415. doi:10.1259/dmfr/72395885
41. Jafari-Pozve N, Sheikhi M, Ataie-Khorasgani M, et al. Aplasia and hypoplasia of the maxillary sinus: a case series. *Dental Research Journal*. 2014;11(5):615–617.
42. Alnafisah AM, Hameed S. Aplasia of the maxillary sinus, a large periapical cyst in the maxil-

- lary arch, and a swimming and kissing molar: a rare case report. *Cureus*. 2020;12(2):e6859. doi:10.7759/cureus.6859
43. Baykara M, Erdoğan N, Öztürk M, et al. Maxillary sinus aplasia. *Turkish Journal of Medical Sciences*. 2002;32(3):273–275.
44. Steier L, Steier G, Doğramacı EJ, et al. Maxillary sinus unilateral aplasia as an incidental finding following cone-beam computed tomography. *Australian Endodontic Journal*. 2014;40(1):26–31. doi:10.1111/aej.12001
45. Tabibzadeh SM, Akbaribazm M, Azimi H. Unilateral maxillary sinus aplasia with hypoplasia of the inferior concha and absence of the infundibulum and uncinate process: a case report. *Clinical Case Reports*. 2025;13(3):e70281. doi:10.1002/ccr3.70281
46. Guven DG, Yilmaz S, Ulus S, et al. Combined aplasia of sphenoid, frontal, and maxillary sinuses accompanied by ethmoid sinus hypoplasia. *Journal of Craniofacial Surgery*. 2010;21(5):1431–1433. doi:10.1097/SCS.0b013e3181ecc2d9
47. Kandogan T, Dalgic A, Mollamehmetoglu H, et al. Combined aplasia of sphenoid, frontal, and maxillary sinuses with hypoplasia of the ethmoid sinus. *Iranian Red Crescent Medical Journal*. 2013;15(1):13–14. doi:10.5812/ircmj.2627
48. Khanduri S, Singh N, Bhadury S, et al. Combined aplasia of frontal and sphenoid sinuses with hypoplasia of ethmoid and maxillary sinuses. *Indian Journal of Otolaryngology and Head & Neck Surgery*. 2015;67(4):434–437. doi:10.1007/s12070-015-0877-9
49. Kalabalık F, Aytugur E. Total aplasia of the paranasal sinuses: a rare presentation. *Journal of Research in Medical and Dental Science*. 2022;10(5):1–4.
50. Takaichi M, Tomihara K, Terashima R, et al. Total paranasal sinus aplasia with multiple impacted teeth: a case report. *Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology*. 2021;33(2):158–160. doi:10.1016/j.ajoms.2020.09.012
51. Yagci B, Mangan MS, Toslak IE, et al. Bilateral epiphora as only presenting sign of total paranasal sinus aplasia. *Journal of Craniofacial Surgery*. 2021;32(4):e350–e351. doi:10.1097/SCS.00000000000007139
52. Hasan TS. Total aplasia of the paranasal sinuses and nasal cavity: the first case report. *The Egyptian Journal of Otolaryngology*. 2022;38(1):36. doi:10.1186/s43163-022-00224-y
53. Al-Balas HI, Khamees A, Najadat T, et al. Combined aplasia of frontal and sphenoid sinuses: a case report. *International Journal of Surgery Case Reports*. 2023;112:108927. doi:10.1016/j.ijscr.2023.108927
54. Felix S, Veerasigamani N. Unilateral absence of ethmoid sinus and nasal turbinates: a rare case report. *Journal of Clinical and Diagnostic Research*. 2017;11(4):MD01–MD02. doi:10.7860/JCDR/2017/24479.9511
55. Cong NV, Minh LHN, Hoang LH, et al. Bosma arhinia microphthalmia syndrome (BAMS): first report from Vietnam. *Cureus*. 2023;15(2):e35222. doi:10.7759/cureus.35222
56. Hamdi M, Alkheder A, Hammoud KJ, et al. Novel otolaryngological and radiological manifestations in GAPO syndrome. *Ear, Nose & Throat Journal*. 2024 Dec 16:1455613241307753. doi:10.1177/01455613241307753
57. Doğan E, Özgür E. Total aplasia of paranasal sinus associated with a syndromic condition. *The Cleft Palate-Craniofacial Journal*. 2023;60(5):616–620. doi:10.1177/10556656221074865
58. Pifferi M, Bush A, Caramella D, et al. Agenesis of paranasal sinuses and nasal nitric oxide in primary ciliary dyskinesia. *European Respiratory Journal*. 2011;37(3):566–571. doi:10.1183/09031936.00068810
59. Plantier DB, Pilan RRM, Athanazio R, et al. Computed tomography evaluation of the paranasal sinuses in adults with primary ciliary dyskinesia. *International Archives of Otorhinolaryngology*. 2023;27(1):e130–e137. doi:10.1055/s-0042-1749392
60. Bae KB, Kwon JH, Kim YH, et al. Juvenile Paget's disease with paranasal sinus aplasia. *Clinical and Experimental Otorhinolaryngology*. 2008;1(4):224–226. doi:10.3342/ceo.2008.1.4.224

CHAPTER 11

ARTIFICIAL INTELLIGENCE IN RADIOLOGY REPORTING: THE ROLE OF NATURAL LANGUAGE PROCESSING AND LARGE LANGUAGE MODELS

Umut Ata OVA¹
Murat Mert ATAPEK²

1. INTRODUCTION

Radiology reports are not simply brief notes added after an examination. In everyday practice, they combine the clinical indication, the imaging technique, the radiologist's observations, and the interpretation on which the next clinical decision often depends. This makes the report one of the main links between imaging and patient care. Many reports, however, are still prepared as free text (1,2). Although this gives radiologists the flexibility they need, it also makes the information harder to search, compare, audit, and reuse for research or quality-improvement purposes (1,3).

At first sight, a radiology report may seem unstructured, but most reports follow a fairly recognizable internal logic. Findings are usually described with reference to anatomical location, imaging appearance, size or extent, diagnostic certainty, temporal change, and negation. Because these elements recur so often, radiology reports have long been suitable material for Natural Language Processing (NLP) (1,3). A well-designed NLP system can convert narrative report text into data that are easier to retrieve, classify, and analyze. In practical terms, this can reduce manual chart review, support clinical decision-making, identify patient cohorts for research, and make large report archives more useful (1,3).

¹ PhD Student, Istanbul University, Institute of Graduate Studies in Health Sciences, Department of Oral and Maxillofacial Radiology, umutata.ova@ogr.iu.edu.tr ORCID iD: 0009-0005-0779-6501

² Dr., Yeditepe University, Faculty of Dentistry, Department of Oral and Maxillofacial Radiology, mert.atapek@yeditepe.edu.tr ORCID iD: 0000-0001-9800-7195

The next major step is likely to involve multimodal systems that connect images with language (4,26-28). Such systems may eventually support workflows in which image findings, report drafting, annotation, prior examinations, and clinical context are handled more closely together (4,26-28). This could make reporting more personalized and clinically meaningful, provided that accuracy and accountability are preserved (4,8,27,28,36).

In practical terms, LLMs are currently most defensible as assistants for report simplification, structured-report conversion, impression drafting, proofreading, protocol recommendation, and education (4-8,22-25,29-33). More advanced uses, such as autonomous report generation or autonomous diagnostic decision-making, require stronger prospective validation, local calibration, transparent governance, and clear medico-legal responsibility before routine use can be justified (8,20,27,36,37).

These developments may also change how the radiologist's role is understood (8,10,28). The more realistic scenario is not that radiologists become passive reviewers of machine-written reports, but that they increasingly act as clinical interpreters who check AI-assisted outputs, protect patient safety, and translate imaging information into multidisciplinary decisions (4,8,10,28).

In conclusion, the future of LLMs in radiology reporting and workflow will depend less on the raw capability of the technology than on the way it is implemented (4,8,20,28). Sustainable progress will require hybrid workflows that preserve expert supervision, rigorous validation, data protection, and regulatory clarity (4,8,20,36,37). For now, the safest and most realistic vision is not fully autonomous radiology reporting, but a carefully governed partnership between human expertise and AI (4,8,20,27,36,37).

REFERENCES

1. Casey A, Davidson E, Poon M, et al. A systematic review of natural language processing applied to radiology reports. *BMC Medical Informatics and Decision Making*. 2021;21:179. doi:10.1186/s12911-021-01533-7
2. Moezzi SAR, Ghaedi A, Rahmanian M, et al. Application of deep learning in generating structured radiology reports: A transformer-based technique. *Journal of Digital Imaging*. 2023;36(1):80-90. doi:10.1007/s10278-022-00692-x
3. Kreimeyer K, Foster M, Pandey A, et al. Natural language processing systems for capturing and standardizing unstructured clinical information: A systematic review. *Journal of Biomedical Informatics*. 2017;73:14-29. doi:10.1016/j.jbi.2017.07.012
4. Akinci D'Antonoli T, Stanzione A, Bluethgen C, et al. Large language models in radiology: Fundamentals, applications, ethical considerations, risks, and future directions. *Diagnostic and Interventional Radiology*. 2024;30(2):80-90. doi:10.4274/dir.2023.232417
5. Stephan D, Bertsch AS, Schumacher S, et al. Improving patient communication by simplifying AI-generated dental radiology reports with ChatGPT: Comparative study. *Journal of Medical Internet Research*. 2025;27:e73337. doi:10.2196/73337

6. Busch F, Hoffmann L, dos Santos DP, et al. Large language models for structured reporting in radiology: Past, present, and future. *European Radiology*. 2025;35(5):2589-2602. doi:10.1007/s00330-024-11107-6
7. Gupta A, Hussain M, Nikhileshwar K, et al. Integrating large language models into radiology workflow: Impact of generating personalized report templates from summary. *European Journal of Radiology*. 2025;189:112198. doi:10.1016/j.ejrad.2025.112198
8. Bhayana R. Chatbots and large language models in radiology: A practical primer for clinical and research applications. *Radiology*. 2024;310(1):e232756. doi:10.1148/radiol.232756
9. Thirunavukarasu AJ, Ting DSJ, Elangovan K, et al. Large language models in medicine. *Nature Medicine*. 2023;29(8):1930-1940. doi:10.1038/s41591-023-02448-8
10. Fanni SC, Tumminello L, Formica V, et al. The journey from natural language processing to large language models: Key insights for radiologists. *Journal of Medical Imaging and Interventional Radiology*. 2024;11:43. doi:10.1007/s44326-024-00043-w
11. Friedman C, Shagina L, Lussier Y, et al. Automated encoding of clinical documents based on natural language processing. *Journal of the American Medical Informatics Association*. 2004;11(5):392-402. doi:10.1197/jamia.M1552
12. Chapman WW, Bridewell W, Hanbury P, et al. A simple algorithm for identifying negated findings and diseases in discharge summaries. *Journal of Biomedical Informatics*. 2001;34(5):301-310. doi:10.1006/jbin.2001.1029
13. Aronson AR. Effective mapping of biomedical text to the UMLS Metathesaurus: The MetaMap program. *Proceedings of the AMIA Symposium*. 2001:17-21.
14. Savova GK, Masanz JJ, Ogren PV, et al. Mayo clinical Text Analysis and Knowledge Extraction System (cTAKES): Architecture, component evaluation and applications. *Journal of the American Medical Informatics Association*. 2010;17(5):507-513. doi:10.1136/jamia.2009.001560
15. Goldberg Y. A primer on neural network models for natural language processing. *Journal of Artificial Intelligence Research*. 2016;57:345-420. doi:10.1613/jair.4992
16. Hochreiter S, Schmidhuber J. Long short-term memory. *Neural Computation*. 1997;9(8):1735-1780. doi:10.1162/neco.1997.9.8.1735
17. Vaswani A, Shazeer N, Parmar N, et al. Attention is all you need. *Advances in Neural Information Processing Systems*. 2017;30.
18. Devlin J, Chang MW, Lee K, et al. BERT: Pre-training of deep bidirectional transformers for language understanding. *Proceedings of NAACL-HLT 2019*. 2019:4171-4186.
19. Brown TB, Mann B, Ryder N, et al. Language models are few-shot learners. *Advances in Neural Information Processing Systems*. 2020;33:1877-1901.
20. Moor M, Banerjee O, Abad ZSH, et al. Foundation models for generalist medical artificial intelligence. *Nature*. 2023;616:259-265. doi:10.1038/s41586-023-05881-4
21. O'Sullivan JW, Palepu A, Saab K, et al. A large language model for complex cardiology care. *Nature Medicine*. 2026;32:616-623. doi:10.1038/s41591-025-04190-9
22. Gertz RJ, Dratsch T, Bunck AC, et al. Potential of GPT-4 for detecting errors in radiology reports. *Radiology*. 2024;311(1):e232714. doi:10.1148/radiol.232714
23. Sun C, Teichman K, Zhou Y, et al. Generative large language models trained for detecting errors in radiology reports. *Radiology*. 2025;315(2):e242575. doi:10.1148/radiol.242575
24. Sun Z, Ong H, Kennedy P, et al. Evaluating GPT-4 on impressions generation in radiology reports. *Radiology*. 2023;307(5):e231259. doi:10.1148/radiol.231259
25. Ziegelmayer S, Marka AW, Lenhart N, et al. Evaluation of GPT-4's chest X-ray impression generation: A reader study on performance and perception. *Journal of Medical Internet Research*. 2023;25:e50865. doi:10.2196/50865
26. Li C, Wong C, Zhang S, et al. LLaVA-Med: Training a large language-and-vision assistant for biomedicine in one day. *arXiv [Preprint]*. 2023. doi:10.48550/arXiv.2306.00890
27. Tu T, Azizi S, Driess D, et al. Towards generalist biomedical AI. *NEJM AI*. 2024;1(3):AIoa2300138. doi:10.1056/AIoa2300138.
28. Nakaura T, Ito R, Ueda D, et al. The impact of large language models on radiology: A guide for

- radiologists on the latest innovations in AI. *Japanese Journal of Radiology*. 2024;42:1143-1156. doi:10.1007/s11604-024-01552-0
29. Kim SH, Wihl J, Schramm S, et al. Human-AI collaboration in large language model-assisted brain MRI differential diagnosis: A usability study. *European Radiology*. 2025;35(9):5252-5263. doi:10.1007/s00330-025-11484-6
30. Kim SH, Schramm S, Wihl J, et al. Boosting LLM-assisted diagnosis: 10-minute LLM tutorial elevates radiology residents' performance in brain MRI interpretation. *Neuroradiology*. 2025;67(8):2069-2081. doi:10.1007/s00234-025-03664-4
31. Zaki HA, Aoun J, Abdullah KG, et al. The application of large language models for radiologic decision-making. *Academic Radiology*. 2024;31(5):2142-2147. doi:10.1016/j.acra.2024.01.007
32. Tan JR, Lim DYZ, Le Q, et al. ChatGPT performance in assessing musculoskeletal MRI scan appropriateness based on ACR appropriateness criteria. *Scientific Reports*. 2025;15:7140. doi:10.1038/s41598-025-88925-1
33. Prasad, S., Rao, A. S., Russo, M. V., Ghoshal, S., Roux, E., Vo, C., Kim, J., Hirsch, J. A., Lev, M. H., Gupta, R., Marks, W. H., Korchi, A., Landman, A., Bizzo, B. C., Raja, A. S., Dreyer, K. J., & Suc-ci, M. D. (2026). Large language models as cost-conscious decision aids in emergency medicine: protocol support for imaging in lower back pain. *Emergency radiology*, 33(1), 53–59. <https://doi.org/10.1007/s10140-025-02412-8>
34. Gertz RJ, Bunck AC, Lennartz S, et al. GPT-4 for automated determination of radiologic study and protocol based on radiology request forms: A feasibility study. *Radiology*. 2023;307(5):e230877. doi:10.1148/radiol.230877
35. Benary M, Wang XD, Schmidt M, et al. Leveraging large language models for decision support in personalized oncology. *JAMA Network Open*. 2023;6(11):e2343689. doi:10.1001/jamanetworkopen.2023.43689
36. Contaldo MT, Pasceri G, Vignati G, et al. AI in radiology: Navigating medical responsibility. *Diagnostics*. 2024;14(14):1506. doi:10.3390/diagnostics14141506
37. U.S. Food and Drug Administration. Artificial intelligence-enabled device software functions: Lifecycle management and marketing submission recommendations. Draft guidance for industry and Food and Drug Administration staff. January 2025. Available from: <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/artificial-intelligence-enabled-device-software-functions-lifecycle-management-and-marketing>. Accessed June 25, 2026.
38. Cross JL, Choma MA, Onofrey JA. Bias in medical AI: Implications for clinical decision-making. *PLOS Digital Health*. 2024;3(11):e0000651. doi:10.1371/journal.pdig.0000651
39. Koçak B, Ponsiglione A, Stanzione A, et al. Bias in artificial intelligence for medical imaging: Fundamentals, detection, avoidance, mitigation, challenges, ethics, and prospects. *Diagnostic and Interventional Radiology*. 2025;31(2):75-88. doi:10.4274/dir.2024.242854
40. Norori N, Hu Q, Aellen FM, et al. Addressing bias in big data and AI for health care: A call for open science. *Patterns*. 2021;2(10):100347. doi:10.1016/j.patter.2021.100347
41. U.S. Food and Drug Administration. Total product lifecycle considerations for generative AI-enabled devices. Executive summary for the Digital Health Advisory Committee meeting. November 20-21, 2024. Available from: <https://www.fda.gov/media/182871/download>. Accessed June 25, 2026.